

ISO 14161:2009-09 (E)

Sterilization of health care products - Biological indicators - Guidance for the selection, use and interpretation of results

Contents		Page
Foreword		v
Introduction		vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	General	5
5	Characteristics of biological indicators	7
5.1	General	7
5.2	Test organism suspension for direct inoculation of products	7
5.3	Inoculated carriers	8
5.4	Self-contained biological indicators	8
5.5	Other biological indicators	9
6	Selection of supplier	9
6.1	General	9
6.2	Documentation	10
7	Biological indicators in process development	11
7.1	General	11
7.2	Overkill approach	12
7.3	Combined biological indicator and bioburden method	12
7.4	Bioburden method	13
8	Biological indicators in sterilization validation	14
8.1	General	14
8.2	Placement and handling of biological indicators	14
8.3	Sterilizer qualification	14
8.4	Performance qualification	14
8.5	Review and approval of validation	15
8.6	Requalification	15
9	Biological indicators in routine monitoring	15
9.1	General	15
9.2	Placement and handling of biological indicators	15
9.3	Process challenge device (PCD)	16
10	Results	16
10.1	General	16
10.2	Interpretation of results	16
11	Application of biological indicator standards	17
11.1	General assessment of biological indicator performance by the user	17
11.2	Nominal population of test organism	17
11.3	Resistance determination	18
11.4	z value determination	20
11.5	F(T, z) equivalent sterilization value determination	22

11.6	Establishing spore-log-reduction (SLR)	23
11.7	Sterility assurance level (SAL) calculation	23
11.8	Test equipment	24
12	Culture conditions	24
12.1	General	24
12.2	Incubation temperature	24
12.3	Incubation period	25
12.4	Choice of growth medium	25
13	Third-party requirements	26
13.1	General	26
13.2	Minimum requirements for replicates and total number of biological indicators	26
13.3	Test equipment	26
14	Personnel training	27
15	Storage and handling	27
16	Disposal of biological indicators	27
Annex A (informative) Microbiological inactivation kinetics and enumeration techniques		28
Annex B (informative) Process challenge devices		34
Annex C (informative) Formulae for fraction negative methods for D value calculations		35
Annex D (informative) Examples of documentation for biological indicators prepared by the user ..		50
Annex E (informative) Calculation of z value		54
Annex F (informative) D value determination by survivor curve method		57
Annex G (informative) Survival-kill response characteristics		61
Bibliography		62