

DIN EN 13727:2012-07 (E)

Chemical disinfectants and antiseptics - Quantitative suspension test for the evaluation of bactericidal activity in the medical area - Test method and requirements (phase 2, step 1)

| Contents | | Page |
|-----------------------|---|-------------|
| Foreword | | 4 |
| Introduction | | 5 |
| 1 | Scope | 6 |
| 2 | Normative references | 6 |
| 3 | Terms and definitions | 6 |
| 4 | Requirements | 7 |
| 5 | Test method | 8 |
| 5.1 | Principle | 8 |
| 5.2 | Materials and reagents | 8 |
| 5.2.1 | Test organisms | 8 |
| 5.2.2 | Culture media and reagents | 9 |
| 5.3 | Apparatus and glassware | 12 |
| 5.3.1 | General | 12 |
| 5.3.2 | Usual microbiological laboratory equipment | 12 |
| 5.4 | Preparation of test organism suspensions and product test solutions | 13 |
| 5.4.1 | Test organism suspensions (test and validation suspension) | 13 |
| 5.4.2 | Product test solutions | 15 |
| 5.5 | Procedure for assessing the bactericidal activity of the product | 15 |
| 5.5.1 | General | 15 |
| 5.5.2 | Dilution-neutralization method | 17 |
| 5.5.3 | Membrane filtration method | 19 |
| 5.5.4 | Modified method for ready-to-use products | 21 |
| 5.6 | Experimental data and calculation | 22 |
| 5.6.1 | Explanation of terms and abbreviations | 22 |
| 5.6.2 | Calculation | 23 |
| 5.7 | Verification of methodology | 28 |
| 5.7.1 | General | 28 |
| 5.7.2 | Control of weighted mean counts | 28 |
| 5.7.3 | Basic limits | 28 |
| 5.8 | Expression of results and precision | 29 |
| 5.8.1 | Reduction | 29 |
| 5.8.2 | Control of active and non-active product test solution (5.4.2) | 29 |
| 5.8.3 | Limiting test organism and bactericidal concentration | 29 |
| 5.8.4 | Precision, repetitions | 29 |
| 5.9 | Interpretation of results - conclusion | 30 |
| 5.9.1 | General | 30 |
| 5.9.2 | Bactericidal activity for handrub and handwash products | 30 |
| 5.9.3 | Bactericidal activity for instrument disinfection products | 30 |
| 5.9.4 | Bactericidal activity for surface disinfection products | 30 |
| 5.9.5 | Qualification for certain fields of application | 30 |
| 5.10 | Test report | 30 |
| Annex A (informative) | Referenced strains in national collections | 33 |

| | |
|--|-----------|
| Annex B (informative) Neutralizers and rinsing liquids | 34 |
| Annex C (informative) Graphical representation of test procedures | 36 |
| Annex D (informative) Example of a typical test report | 44 |
| Annex E (informative) Precision of the test result | 48 |
| Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 93/42/EEC | 51 |
| Bibliography | 52 |