

# ISO 11137-2:2013-06 (E)

## Sterilization of health care products - Radiation - Part 2: Establishing the sterilization dose

---

<b>Contents</b>		<b>Page</b>
Foreword .....		v
Introduction .....		vi
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms, definitions, and abbreviated terms .....</b>	<b>1</b>
3.1	Terms and definitions .....	1
3.2	Abbreviated terms .....	3
<b>4</b>	<b>Definition and maintenance of product families for dose setting, dose substantiation, and sterilization dose auditing .....</b>	<b>4</b>
4.1	General .....	4
4.2	Defining product families .....	4
4.3	Designation of product to represent a product family for performance of a verification dose experiment or sterilization dose audit .....	5
4.4	Maintaining product families .....	6
4.5	Effect of failure of establishment of sterilization dose or of a sterilization dose audit on a product family .....	7
<b>5</b>	<b>Selection and testing of product for establishing the sterilization dose .....</b>	<b>7</b>
5.1	Nature of product .....	7
5.2	Sample item portion (SIP) .....	8
5.3	Manner of sampling .....	9
5.4	Microbiological testing .....	9
5.5	Irradiation .....	9
<b>6</b>	<b>Methods of dose establishment .....</b>	<b>9</b>
<b>7</b>	<b>Method 1: dose setting using bioburden information .....</b>	<b>10</b>
7.1	Rationale .....	10
7.2	Procedure for Method 1 for product with an average bioburden greater than or equal to 1,0 for multiple production batches .....	11
7.3	Procedure for Method 1 for product with an average bioburden greater than or equal to 1,0 for a single production batch .....	17
7.4	Procedure for Method 1 for product with an average bioburden in the range 0,1 to 0,9 for multiple or single production batches .....	19
<b>8</b>	<b>Method 2: Dose setting using fraction positive information from incremental dosing to determine an extrapolation factor .....</b>	<b>20</b>
8.1	Rationale .....	20
8.2	Procedure for Method 2A .....	21
8.3	Procedure for Method 2B .....	24
<b>9</b>	<b>Method VD<sub>max</sub> -- Substantiation of 25 kGy or 15 kGy as the sterilization dose .....</b>	<b>28</b>
9.1	Rationale .....	28
9.2	Procedure for Method VD <sub>max25</sub> for multiple production batches .....	29
9.3	Procedure for Method VD <sub>max25</sub> for a single production batch .....	34
9.4	Procedure for Method VD <sub>max15</sub> for multiple production batches .....	37

9.5	Procedure for Method VDmax15 for a single production batch .....	40
10	Sterilization dose audit .....	43
10.1	Purpose and frequency .....	43
10.2	Procedure for auditing a sterilization dose established using Method 1, Method 2A, or Method 2B .....	43
10.3	Procedure for auditing a sterilization dose substantiated using Method VDmax25 or Method VDmax15 .....	46
10.4	Failure of a sterilization dose audit .....	52
11	Worked examples .....	52
11.1	Worked examples for Method 1 .....	52
11.2	Worked examples for Method 2 .....	54
11.3	Worked examples for Method VDmax .....	62
11.4	Worked example of a sterilization dose audit for a dose established using Method 1, the findings from which necessitated augmentation of the sterilization dose .....	64
11.5	Worked example of a sterilization dose audit for a dose established using Method 2A, the findings from which necessitated augmentation of the sterilization dose .....	64
11.6	Worked example of a sterilization dose audit for a sterilization dose substantiated using Method VDmax25 .....	65
	Bibliography .....	67