

# DIN 58912-1:2015-09 (E)

## Haemostaseology - Determination of the antithrombin activity - Part 1: Reference measurement procedure using a synthetic peptide substrate

---

| <b>Contents</b>           |  | <b>Page</b> |
|---------------------------|--|-------------|
| <b>Foreword</b> .....     |  | <b>3</b>    |
| <b>1</b>                  | <b>Scope</b> .....                                   | <b>4</b>    |
| <b>2</b>                  | <b>Normative references</b> .....                    | <b>4</b>    |
| <b>3</b>                  | <b>Terms and definitions</b> .....                   | <b>4</b>    |
| <b>4</b>                  | <b>Designation</b> .....                             | <b>5</b>    |
| <b>5</b>                  | <b>Collection and processing of blood</b> .....      | <b>5</b>    |
| <b>6</b>                  | <b>Procedure</b> .....                               | <b>6</b>    |
| <b>6.1</b>                | <b>Preparation of samples and reagents</b> .....     | <b>6</b>    |
| <b>6.2</b>                | <b>Methods</b> .....                                 | <b>6</b>    |
| <b>6.2.1</b>              | <b>Method for thrombin (factor IIa)</b> .....        | <b>6</b>    |
| <b>6.2.2</b>              | <b>Method for factor Xa</b> .....                    | <b>6</b>    |
| <b>6.3</b>                | <b>Reaction mixture</b> .....                        | <b>7</b>    |
| <b>6.3.1</b>              | <b>Manual method for thrombin (factor IIa)</b> ..... | <b>7</b>    |
| <b>6.3.2</b>              | <b>Manual method for factor Xa [11]</b> .....        | <b>7</b>    |
| <b>6.4</b>                | <b>Quality control</b> .....                         | <b>7</b>    |
| <b>7</b>                  | <b>Report of results</b> .....                       | <b>7</b>    |
| <b>Bibliography</b> ..... |  | <b>8</b>    |