

ISO 18362:2016-02 (E)

Manufacture of cell-based health care products - Control of microbial risks during processing

| Contents | | Page |
|--------------------|---|-------------|
| Foreword | | v |
| Introduction | | vi |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 2 |
| 4 | Quality system elements | 5 |
| 5 | Process definition | 5 |
| 5.1 | General | 5 |
| 5.2 | Risk management | 6 |
| 5.2.1 | General considerations | 6 |
| 5.2.2 | Cell-based starting material risk assessment | 7 |
| 5.2.3 | CBHP process risk assessment | 7 |
| 5.2.4 | Use of risk assessment methods and tools for supply of CBHPs for use in clinical trials | 8 |
| 6 | Manufacturing environment | 8 |
| 6.1 | General | 8 |
| 6.2 | Alternative processes | 8 |
| 6.3 | Manufacturing environment design | 8 |
| 6.3.1 | Containment area | 8 |
| 6.3.2 | Construction containment features | 8 |
| 6.4 | Layout | 9 |
| 6.5 | Material and personnel flow | 9 |
| 6.5.1 | General | 9 |
| 6.5.2 | Equipment | 9 |
| 6.5.3 | Handling of waste material | 9 |
| 6.6 | HVAC system | 10 |
| 6.7 | Utility services and ancillary equipment | 10 |
| 6.8 | Environmental and personnel monitoring programmes | 10 |
| 7 | Equipment | 10 |
| 7.1 | General | 10 |
| 7.2 | Additional requirements | 10 |
| 8 | Personnel | 11 |
| 8.1 | General | 11 |
| 8.2 | Personnel procedures | 11 |
| 8.3 | Gowning procedures | 11 |
| 8.4 | General employee health | 11 |
| 9 | Manufacture of product | 12 |
| 9.1 | General | 12 |
| 9.2 | Control of starting material | 12 |
| 9.2.1 | Cell-based starting material | 12 |
| 9.2.2 | Other starting materials | 12 |
| 9.3 | Manufacturing procedures | 13 |

| | | |
|---|---|----|
| 9.4 | In-process controls and process monitoring | 13 |
| 9.5 | Virus elimination and inactivation | 13 |
| 10 | Process simulation and process confirmation | 13 |
| 10.1 | General | 13 |
| 10.2 | Process simulation | 14 |
| 10.3 | Process confirmation studies | 14 |
| 10.4 | Media selection and growth support | 14 |
| 11 | Finished product release: test for sterility | 15 |
| 11.1 | General | 15 |
| 11.2 | Additional requirements | 15 |
| 12 | Finished product release: testing for biological contamination that cannot be detected by the test for sterility | 16 |
| 12.1 | General | 16 |
| 12.2 | Extrinsic biological contamination | 16 |
| 12.3 | Intrinsic biological contamination | 16 |
| Annex A (informative) Examples of microbial risks for CBHP | | 17 |
| Annex B (normative) Decision trees for application of risk assessment for cell-based starting materials | | 18 |
| Annex C (informative) Containment facilities | | 20 |
| Annex D (normative) CBHP starting material | | 27 |
| Annex E (normative) Containment requirements for procured, non-sterile starting materials before entering the manufacturing area | | 29 |
| Annex F (informative) Typical elements of a process definition | | 30 |
| Bibliography | | 31 |