

# ISO 18362:2016-02 (E)

## Manufacture of cell-based health care products - Control of microbial risks during processing

---

<b>Contents</b>		<b>Page</b>
Foreword .....		v
Introduction .....		vi
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	2
4	Quality system elements .....	5
5	Process definition .....	5
5.1	General .....	5
5.2	Risk management .....	6
5.2.1	General considerations .....	6
5.2.2	Cell-based starting material risk assessment .....	7
5.2.3	CBHP process risk assessment .....	7
5.2.4	Use of risk assessment methods and tools for supply of CBHPs for use in clinical trials .....	8
6	Manufacturing environment .....	8
6.1	General .....	8
6.2	Alternative processes .....	8
6.3	Manufacturing environment design .....	8
6.3.1	Containment area .....	8
6.3.2	Construction containment features .....	8
6.4	Layout .....	9
6.5	Material and personnel flow .....	9
6.5.1	General .....	9
6.5.2	Equipment .....	9
6.5.3	Handling of waste material .....	9
6.6	HVAC system .....	10
6.7	Utility services and ancillary equipment .....	10
6.8	Environmental and personnel monitoring programmes .....	10
7	Equipment .....	10
7.1	General .....	10
7.2	Additional requirements .....	10
8	Personnel .....	11
8.1	General .....	11
8.2	Personnel procedures .....	11
8.3	Gowning procedures .....	11
8.4	General employee health .....	11
9	Manufacture of product .....	12
9.1	General .....	12
9.2	Control of starting material .....	12
9.2.1	Cell-based starting material .....	12
9.2.2	Other starting materials .....	12
9.3	Manufacturing procedures .....	13

9.4	In-process controls and process monitoring .....	13
9.5	Virus elimination and inactivation .....	13
10	Process simulation and process confirmation .....	13
10.1	General .....	13
10.2	Process simulation .....	14
10.3	Process confirmation studies .....	14
10.4	Media selection and growth support .....	14
11	Finished product release: test for sterility .....	15
11.1	General .....	15
11.2	Additional requirements .....	15
12	Finished product release: testing for biological contamination that cannot be detected by the test for sterility .....	16
12.1	General .....	16
12.2	Extrinsic biological contamination .....	16
12.3	Intrinsic biological contamination .....	16
Annex A (informative) Examples of microbial risks for CBHP .....		17
Annex B (normative) Decision trees for application of risk assessment for cell-based starting materials .....		18
Annex C (informative) Containment facilities .....		20
Annex D (normative) CBHP starting material .....		27
Annex E (normative) Containment requirements for procured, non-sterile starting materials before entering the manufacturing area .....		29
Annex F (informative) Typical elements of a process definition .....		30
Bibliography .....		31