

ISO/IEEE 11073-20601:2016-06 (E)

Health informatics - Personal health device communication - Part 20601: Application profile - Optimized exchange protocol

| Contents | Page |
|--|------|
| 1. Overview | 1 |
| 1.1 Scope | 1 |
| 1.2 Purpose | 1 |
| 1.3 Context | 2 |
| 2. Normative references..... | 5 |
| 3. Definitions, acronyms, and abbreviations | 5 |
| 3.1 Definitions | 5 |
| 3.2 Acronyms and abbreviations | 6 |
| 4. Guiding principles | 7 |
| 5. Introduction to IEEE 11073 personal health devices..... | 8 |
| 5.1 General | 8 |
| 5.2 Domain information model (DIM) | 9 |
| 5.3 Service model | 9 |
| 5.4 Communication model | 9 |
| 5.5 Compliance with other standards..... | 9 |
| 5.6 Security..... | 9 |
| 6. Personal health device DIM | 10 |
| 6.1 General | 10 |
| 6.2 Nomenclature usage | 11 |
| 6.3 Personal health object class definitions | 12 |
| 6.3.1 General..... | 12 |
| 6.3.2 MDS class | 14 |
| 6.3.3 Metric class | 22 |
| 6.3.4 Numeric class..... | 28 |
| 6.3.5 RT-SA class | 31 |
| 6.3.6 Enumeration class | 33 |
| 6.3.7 PM-store class..... | 35 |
| 6.3.8 PM-segment class | 41 |
| 6.3.9 Scanner classes..... | 46 |
| 6.4 Information model extensibility rules..... | 57 |
| 7. Personal health device service model..... | 58 |
| 7.1 General | 58 |
| 7.2 Association service | 58 |
| 7.3 Object access services..... | 58 |
| 7.4 Specific application of object access EVENT REPORT services for personal health devices..... | 59 |
| 7.4.1 General..... | 59 |
| 7.4.2 Confirmed and unconfirmed event reports..... | 59 |
| 7.4.3 Configuration event report | 59 |
| 7.4.4 Agent- and manager-initiated measurement data transmission..... | 63 |
| 7.4.5 Variable, fixed, and grouped format event reports..... | 64 |
| 7.4.6 Single-person and multiple-person event reports..... | 65 |

| | |
|--|-----|
| 7.4.7 Temporarily stored measurements | 66 |
| 8. Communication model | 66 |
| 8.1 General | 66 |
| 8.2 System context..... | 67 |
| 8.3 Communications characteristics | 68 |
| 8.3.1 General | 68 |
| 8.3.2 Common communications characteristics..... | 69 |
| 8.3.3 Reliable communications characteristics | 70 |
| 8.3.4 Best-effort communications characteristics | 70 |
| 8.4 State machines | 71 |
| 8.4.1 Agent state machine | 71 |
| 8.4.2 Manager state machine..... | 74 |
| 8.4.3 Timeout variables..... | 75 |
| 8.5 Connected procedure | 76 |
| 8.5.1 General..... | 76 |
| 8.5.2 Entry conditions | 76 |
| 8.5.3 Normal procedures..... | 76 |
| 8.5.4 Exit conditions | 77 |
| 8.5.5 Error conditions | 77 |
| 8.6 Unassociated procedure | 77 |
| 8.6.1 General | 77 |
| 8.6.2 Entry conditions | 77 |
| 8.6.3 Normal procedures..... | 77 |
| 8.6.4 Exit conditions | 77 |
| 8.6.5 Error conditions | 77 |
| 8.7 Associating procedure | 78 |
| 8.7.1 General | 78 |
| 8.7.2 Entry conditions | 78 |
| 8.7.3 Normal procedures..... | 78 |
| 8.7.4 Exit conditions | 82 |
| 8.7.5 Error conditions | 82 |
| 8.7.6 Test association..... | 83 |
| 8.8 Configuring procedure..... | 84 |
| 8.8.1 General | 84 |
| 8.8.2 Entry conditions | 84 |
| 8.8.3 Normal procedures..... | 84 |
| 8.8.4 Exit conditions | 87 |
| 8.8.5 Error conditions | 88 |
| 8.9 Operating procedure | 88 |
| 8.9.1 General | 88 |
| 8.9.2 Entry conditions | 88 |
| 8.9.3 Normal procedures..... | 88 |
| 8.9.4 Exit conditions | 100 |
| 8.9.5 Error conditions | 101 |
| 8.10 Disassociating procedure | 102 |
| 8.10.1 General..... | 102 |
| 8.10.2 Entry conditions | 102 |
| 8.10.3 Normal procedures..... | 103 |
| 8.10.4 Exit conditions | 103 |
| 8.10.5 Error conditions | 103 |
| 8.11 Message encoding..... | 103 |
| 8.12 Time coordination..... | 104 |
| 8.12.1 General..... | 104 |
| 8.12.2 Absolute time | 104 |

| | |
|---|-----|
| 8.12.3 Base time with offset..... | 106 |
| 8.12.4 Relative time | 106 |
| 8.12.5 High-resolution relative time | 107 |
| 9. Conformance model | 108 |
| 9.1 Applicability | 108 |
| 9.2 Conformance specification | 108 |
| 9.3 Implementation conformance statements (ICSs) | 109 |
| 9.4 General conformance..... | 109 |
| 9.4.1 General ICS..... | 109 |
| 9.4.2 Minimum requirements ICS..... | 111 |
| 9.4.3 Service support ICS | 112 |
| 9.5 Device additions/extensions ICS | 113 |
| 9.5.1 General additions/extensions ICS | 113 |
| 9.5.2 Personal health device DIM object and class (POC) ICS | 114 |
| 9.5.3 POC attribute ICS | 114 |
| 9.5.4 POC behavior ICS..... | 115 |
| 9.5.5 POC notification ICS | 115 |
| 9.5.6 POC nomenclature ICS..... | 116 |
| Annex A (normative) ASN.1 definitions..... | 117 |
| Annex B (informative) Scale and range specification example..... | 151 |
| Annex C (informative) The PM-store concept | 153 |
| Annex D (informative) Transport profile types..... | 158 |
| Annex E (normative) State tables | 161 |
| Annex F (normative) Medical device encoding rules (MDER)..... | 181 |
| Annex G (informative) Encoded data type definitions | 193 |
| Annex H (informative) Examples..... | 213 |
| Annex I (normative) Nomenclature codes..... | 228 |
| Annex J (informative) Derivation and modification history..... | 233 |
| Annex K (informative) Bibliography | 236 |