

# ISO 29943-2:2017-07 (E)

## Condoms - Guidance on clinical studies - Part 2: Female condoms, clinical function studies based on self-reports

---

<b>Contents</b>		<b>Page</b>
Foreword .....		v
Introduction .....		vi
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	1
4	Risk assessment .....	3
5	Pilot clinical studies .....	3
6	Clinical validation investigation .....	4
6.1	Objectives of clinical validation investigation .....	4
6.2	Outcome measures .....	4
6.3	Study subjects .....	4
6.3.1	General .....	4
6.3.2	Enrolment of study subjects .....	5
6.4	Informed consent .....	6
6.5	Test and control condoms .....	6
6.5.1	General .....	6
6.5.2	Test condom .....	7
6.5.3	Control condom .....	7
6.5.4	Trial duration exceeds one year .....	7
6.5.5	Sampling of control condoms for bench testing .....	8
6.6	Randomization .....	8
6.7	Allocation concealment and study masking .....	8
6.8	Use of additional lubricant .....	8
6.9	Instructions and interactions with study couples .....	8
6.10	Interviews and data collection .....	9
6.10.1	Schedule for interviews and condom distribution .....	9
6.10.2	Enrolment interview .....	9
6.10.3	Individual condom use CRF .....	10
6.10.4	Mid-study CRF, crossover trial .....	10
6.10.5	Compiling data from CRFs .....	11
6.11	Data integrity .....	11
6.11.1	General .....	11
6.11.2	Interactive voice response systems (IVRS) .....	11
6.11.3	Mail-in and web-based data reporting .....	11
6.11.4	Web-based data collection systems, additional suggestions .....	12
6.12	Control of distribution chain .....	13
6.13	Analysis of returned condoms .....	13
6.14	Other methodological details .....	13
6.15	Statistical analysis plan .....	14
6.15.1	General .....	14
6.15.2	Primary study hypothesis .....	14
6.15.3	Secondary study hypotheses .....	15
6.15.4	Study design .....	15
6.15.5	Statistical analysis .....	15

6.15.6	Additional statistical comments and concerns .....	16
6.16	Clinical study results: Review and interpretation .....	16
6.16.1	General .....	16
6.16.2	Total clinical failure rates for control condom .....	16
6.16.3	Non-inferiority .....	16
6.16.4	Superiority .....	17
6.16.5	Safety (adverse events) .....	17
6.16.6	What happens if one is unable to conclude non-inferiority? .....	17
Annex A (informative) Formula for power calculation .....		18
Annex B (informative) Pilot clinical investigation (sample outline) .....		19
Annex C (informative) Time and events schedule for individual study subject (sample) .....		21
Annex D (informative) CRF -- Study entry (sample) .....		22
Annex E (informative) CRF -- Mid-study (sample) .....		25
Annex F (informative) CRF -- Single use of female condom (sample) .....		27
Annex G (informative) CRF -- Adverse event (sample) .....		31
Annex H (informative) Protocol for evaluation of returned used condoms .....		33
Bibliography .....		39