ISO 20697:2018 (E)

Sterile drainage catheters and accessory devices for single use

Contents

Foreword

Introduction

- 1 Scope
- 2 Normative references
- 3 Terms and definitions
- 4 Intended performance

5 General requirements

- 5.1 Risk management
- 5.2 Biocompatibility
- 5.3 Detectability
- 5.4 Surface finish
- 5.5 Size designation
- 5.5.1 General
- 5.5.2 Outer diameter
- 5.5.3 Effective length
- 5.5.4 Nominal balloon inflation volume
- 5.6 Connector
- 5.7 MRI compatibility
- 5.8 Sterilization

6 Specific requirements

6.1 Kink stability

- 6.2 Corrosion resistance
- 6.3 Resistance to deformation
- 6.4 Peak tensile force
- 6.4.1 Connections
- 6.4.2 Drainage catheters and other accessory devices
- 6.5 Impact resistance
- 6.6 Flow rate
- 6.7 Retention strength
- 6.8 Balloon safety
- 6.9 Catheter inflation lumen integrity and volume maintenance
- 6.9.1 General
- 6.9.2 Compliant balloon
- 6.9.3 Non-compliant balloon
- 6.10 Inflated balloon resistance to traction
- 6.11 Freedom from leakage during aspiration or vacuum
- 7 Information supplied by the manufacturer
 - 7.1 General
 - 7.2 Marking on the device and/or packaging
 - 7.3 Instructions for use

Annex A (informative) Test method for determining kink stability

- A.1 Principle
- A.2 Apparatus
- A.3 Procedure
- A.4 Test report

Annex B (normative) Test method for corrosion resistance

- B.1 Principle
- B.2 Reagents
- B.3 Apparatus
- B.4 Procedure
- B.5 Test report

Annex C (normative) Test method for resistance to deformation by suction

- C.1 Principle
- C.2 Apparatus
- C.3 Procedure
- C.4 Test report

Annex D (normative) Test method for determining peak tensile force of connections

- D.1 Principle
- D.2 Apparatus
- D.3 Procedure
- D.4 Test report

Annex E (normative) Test method for determining peak tensile force of drainage catheter

- E.1 Principle
- E.2 Apparatus
- E.3 Procedure
- E.4 Test report

Annex F (normative) Test method for impact resistance of collection device

- F.1 Principle
- F.2 Apparatus
- F.3 Procedure
- F.3.1 Collection device
- F.3.2 Suction source
- F.4 Test report

Annex G (normative) Test method for determination of flow rate through catheter

- G.1 Principle
- G.2 Reagent
- G.3 Apparatus
- G.4 Procedure
- G.5 Expression of results
- G.6 Test report

Annex H (informative) Test method for retention strength

- H.1 Principle
- H.2 Apparatus
- H.3 Procedure
- H.4 Test report

Annex I (normative) Test method for determining balloon safety

- I.1 Principle
- I.2 Reagents
- I.3 Apparatus
- I.4 Procedure
- I.5 Test report
- Annex J (normative) Test method for determining inflation lumen leakage and/or function and/or balloon deflation (catheter with compliant balloon)
 - J.1 Principle
 - J.2 Apparatus and reagents
 - J.3 Procedure
 - J.4 Test report
- Annex K (normative) Test method for determining balloon size and deflation reliability (catheter with non-compliant balloon)

- K.1 Principle
- Apparatus and reagents K.2
- K.3 Procedure
- K.4 Test report

Annex L (normative) Test method for determining inflated balloon resistance to traction

- L.1 Principle
- Apparatus Procedure L.2
- L.3
- L.4 Test report

Annex M (normative) Test method for resistance to leakage during aspiration or vacuum

- M.1 Principle
- M.2
- M.3
- Reagent Apparatus Procedure M.4
- M.5 Test report

Page count: 37