

ISO 15883-4:2018 (E)

Washer-disinfectors — Part 4: Requirements and tests for washer-disinfectors employing chemical disinfection for thermolabile endoscopes

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Performance requirements
4.1	General
4.2	Systems for leak testing
4.3	Cleaning
4.3.1	General
4.3.2	Flushing
4.3.3	Washing
4.3.4	Post-washing rinsing
4.3.5	Determination of cleaning efficacy
4.4	Disinfecting
4.4.1	General
4.4.2	Efficacy of the disinfectant
4.4.3	Temperature
4.4.4	Process monitoring
4.4.5	Disinfectant use
4.4.5.1	General
4.4.5.2	Re-use of disinfectant solutions
4.5	Final rinsing
4.6	Purging to remove rinse water
4.7	Drying
4.8	Self-disinfection
4.9	Water treatment equipment
4.9.1	General
4.9.2	Disinfection of water treatment equipment
4.9.3	Maintenance of piping
5	Mechanical and process requirements
5.1	Materials — Design, manufacture and construction
5.2	Device channel irrigation system
5.2.1	General
5.2.2	Verification of device channel irrigation by the automatic controller
5.3	Venting and drainage systems
5.4	Temperature control
5.4.1	General
5.4.2	Temperature control of the washing stage
5.4.3	Temperature control of the disinfection stage
5.4.4	WD with a minimum operating temperature for the washing and/or disinfection stage
5.5	Process chemicals
5.6	Process verification
5.7	Dosing systems
6	Testing for conformity
6.1	General

6.2	Test equipment
6.2.1	General
6.2.2	Pressure measurement
6.2.3	Flow measurement
6.2.3.1	Water
6.2.3.2	Process chemical
6.3	Water used for final rinsing
6.3.1	Principle
6.3.2	Material/procedure
6.3.3	Results/acceptance criteria
6.4	Hardness of water used during type testing
6.4.1	Principle
6.4.2	Material
6.4.3	Procedure
6.5	Leak test
6.5.1	Principle
6.5.2	Material
6.5.3	Procedure
6.5.3.1	Calibration
6.5.3.2	Testing the pressure relief device
6.5.3.3	Testing the leak tester fault and pass conditions
6.5.3.3.1	Fault condition
6.5.3.3.2	Pass condition
6.5.3.4	Leak test for non-connection
6.5.4	Results/acceptance criteria
6.5.4.1	Verification of testing the pressure relief device (see 6.5.3.2)
6.5.4.2	Verification of testing the leak tester “fault” and “pass” conditions
6.5.4.2.1	Fault condition
6.5.4.2.2	Pass condition
6.5.4.3	Verification of leak test for non-connection (see 6.5.3.4)
6.6	Channels non-obstruction test
6.6.1	Principle
6.6.2	Material
6.6.3	Procedure
6.6.4	Results/acceptance criteria
6.7	Channels non-connection test
6.7.1	Principle
6.7.2	Material
6.7.3	Procedure
6.7.4	Result/acceptance criteria
6.8	Load dryness
6.8.1	Principle
6.8.2	Material
6.8.3	Exterior surface drying
6.8.3.1	Procedure
6.8.3.2	Result/Acceptance criteria
6.8.4	Channel drying
6.8.4.1	Procedure
6.8.4.2	Result/Acceptance criteria
6.9	Thermometric tests
6.9.1	Test for chamber and load temperature during operating cycle
6.9.1.1	Principle
6.9.1.2	Material
6.9.1.3	Procedure
6.9.1.4	Results/acceptance criteria
6.9.2	Test for operating cycle temperature limits on washing and chemical disinfection stages
6.9.2.1	Principle
6.9.2.2	Material
6.9.2.3	Procedure
6.9.2.4	Results/acceptance criteria
6.10	Chemical dosing tests for single-dose containers
6.10.1	Principle
6.10.2	Material

- 6.10.3 Procedure
 - 6.10.4 Results/acceptance criteria
 - 6.11 Tests of cleaning efficacy
 - 6.11.1 General
 - 6.11.2 Principle
 - 6.11.3 Material
 - 6.11.3.1 Load carrier
 - 6.11.3.2 Test loads
 - 6.11.3.3 Test soils
 - 6.11.4 Procedure
 - 6.11.5 Results/acceptance criteria
 - 6.12 Tests of disinfection efficacy
 - 6.12.1 General
 - 6.12.2 Preliminary tests on chemical disinfectants
 - 6.12.2.1 Principle
 - 6.12.2.2 Material
 - 6.12.2.2.1 Disinfectants
 - 6.12.2.2.2 Neutralizing agent
 - 6.12.2.2.3 Test organisms
 - 6.12.2.3 Procedure
 - 6.12.2.3.1 Concentration
 - 6.12.2.3.2 Temperature
 - 6.12.2.3.3 Contact time
 - 6.12.2.3.4 Water quality
 - 6.12.2.3.5 Neutralization
 - 6.12.2.3.6 Presentation of test organisms
 - 6.12.2.3.7 Detection of test organisms
 - 6.12.2.4 Results/acceptance criteria
 - 6.12.3 Self-disinfection tests
 - 6.12.3.1 Type test
 - 6.12.3.1.1 Principle
 - 6.12.3.1.2 Material
 - 6.12.3.1.3 Procedure
 - 6.12.3.2 Operational and routine test
 - 6.12.3.2.1 Principle
 - 6.12.3.2.2 Material
 - 6.12.3.2.3 Procedure
 - 6.12.3.2.4 Results/acceptance criteria
- 6.12.4 Test of microbial quality of final rinse water treatment equipment
 - 6.12.4.1 Type test
 - 6.12.4.1.1 Principle
 - 6.12.4.1.2 Material
 - 6.12.4.1.3 Procedure
 - 6.12.4.1.4 Results
 - 6.12.4.1.5 Acceptance criteria
 - 6.12.4.2 Operational tests
- 6.12.5 Disinfection of liquid transport systems following failure of water treatment equipment
 - 6.12.5.1 Type test
 - 6.12.5.1.1 Procedure
 - 6.12.5.1.2 Results/acceptance criteria
 - 6.12.5.2 Operational and routine test
 - 6.12.5.2.1 Principle
 - 6.12.5.2.2 Material/procedure
 - 6.12.5.2.3 Results/acceptance criteria
- 6.12.6 Chemical disinfection of the load
 - 6.12.6.1 Type test
 - 6.12.6.2 Operational qualification
 - 6.12.6.3 Performance qualification and routine test
- 7 Documentation and inspection
- 8 Information to be supplied by the manufacturer
- 9 Marking, labelling and packaging

10 Information to be requested from the purchaser by the manufacturer

Annex A (informative) Summary of activities covered by this document

- A.1 General**
- A.2 Before installation of the WD**
- A.3 Installation and operation of the WD**

Annex B (normative) Microbiological testing of the efficacy of chemical disinfection of the load

- B.1 Principle**
- B.2 Material**
 - B.2.1 Test organisms**
 - B.2.2 Test pieces**
 - B.2.3 Suspension media**
 - B.2.4 Inoculum**
 - B.2.5 Microsyringe**
 - B.2.6 Neutralization solution**
 - B.2.7 Recovery medium**
- B.3 Procedure**
 - B.3.1 General**
 - B.3.2 Recovery method**
 - B.3.3 Evaluation of initial inoculum**
 - B.3.4 Evaluation of physical removal using endospores as an indicator organism**
 - B.3.5 Evaluation of disinfection efficacy**
- B.4 Results**

Annex C (normative) Summary of test programmes

- C.1 General**

Annex D (normative) Methods for microbiological evaluation of disinfection of liquid transport system

- D.1 Principle**
- D.2 Material**
 - D.2.1 Microorganisms**
 - D.2.2 Culture medium**
 - D.2.3 Washer-disinfector**
 - D.2.3.1 Sampling cycle**
 - D.2.3.2 Contamination cycle**
 - D.2.4 Connection of the WD to the external tank**
- D.3 Procedure**
 - D.3.1 External tank disinfection**
 - D.3.2 Verification of absence of microbicidal residue in the external tank after disinfection**
 - D.3.3 Preparation of the contamination solution**
 - D.3.4 Contamination of the WD via the water supply network**
 - D.3.5 Determination of the WD contamination level**
 - D.3.6 Establishment of the efficacy of the disinfection of the liquid transport system**
 - D.3.6.1 Method 1**
 - D.3.6.2 Method 2**
- D.4 Results/acceptance criteria**

Annex E (normative) Tests for microbial contamination of final rinse water

- E.1 Principle**
- E.2 Material**
- E.3 Procedure**
 - E.3.1 Sampling technique**
 - E.3.2 Test for aerobic mesophilic bacteria**
 - E.3.3 Test for environmental (atypical) Mycobacterium sp.**
- E.4 Results/Acceptance criteria**

Annex F (informative) Additional notes on microbiological testing of chemical disinfection processes

- F.1 Difficulties with microbial testing**
- F.2 Verification of the disinfection process**
- F.3 Validation of the test method**

Annex G (informative) Typical specifications of trumpet valves and connection ports

G.1 Specification diagrams

Annex H (normative) Establishing endoscope type test groups

- H.1 General**
- H.2 Establishing endoscope type test groups**
 - H.2.1 General**
 - H.2.2 Procedure**
- H.3 Choosing relevant endoscope type test groups for type testing**
- H.4 Definition of relevant surrogate devices and endoscopes for type testing**
- H.5 Procedure for new endoscopes**
- H.6 List of endoscope blocks**

Annex I (informative) Establishing endoscope product families

- I.1 General**
- I.2 Classification of endoscope product families**
 - I.2.1 Endoscope product family 1**
 - I.2.2 Endoscope product family 2**
 - I.2.3 Endoscope product family 3**

Page count: 81