

ISO 13606-2:2019 (E)

Health informatics — Electronic health record communication — Part 2: Archetype interchange specification

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Abbreviations
5	Conformance
6	Archetype representation requirements
6.1	General
6.2	Archetype definition, description and publication information
6.3	Archetype node constraints
6.4	Data value constraints
7	Archetype object model
7.1	Preface
7.1.1	Purpose
7.1.2	Nomenclature
7.2	Model overview
7.2.1	Package structure
7.2.2	Definition and utility classes
7.2.2.1	Overview
7.2.2.2	Class definitions
7.2.2.2.1	VERSION_STATUS enumeration
7.2.2.2.2	VALIDITY_KIND enumeration
7.2.2.2.3	ADL_CODE_DEFINITIONS class
7.3	The archetype package
7.3.1	Overview
7.3.2	Archetype identification
7.3.2.1	Human-Readable Identifier (HRID)
7.3.2.2	Machine identifiers
7.3.3	Top-level meta-data
7.3.3.1	ADL version
7.3.3.2	Reference model release
7.3.3.3	Generated flag
7.3.4	Governance meta-data
7.3.4.1	Governance meta-data items
7.3.4.2	Authorship meta-data
7.3.4.3	Descriptive meta-data
7.3.5	Structural definition
7.3.5.1	Common structural parts
7.3.5.2	Structural variants
7.3.6	Class descriptions
7.3.6.1	AUTHORED_RESOURCE Class
7.3.6.2	RESOURCE_DESCRIPTION class
7.3.6.3	RESOURCE_DESCRIPTION_ITEM class
7.3.6.4	RESOURCE_ANNOTATIONS class

- 7.3.6.5 TRANSLATION_DETAILS class
- 7.3.6.6 ARCHETYPE class
- 7.3.6.7 AUTHORED_ARCHETYPE class
- 7.3.6.8 ARCHETYPE_HRID class
- 7.3.6.9 TEMPLATE class
- 7.3.6.10 TEMPLATE_OVERLAY class
- 7.3.6.11 OPERATIONAL_TEMPLATE class
- 7.3.7 Validity rules
- 7.4 Constraint model package
 - 7.4.1 Overview
 - 7.4.2 Semantics
 - 7.4.2.1 All node types
 - 7.4.2.2 Attribute nodes
 - 7.4.2.3 Object node types
 - 7.4.2.4 Defined object nodes (C_DEFINED_OBJECT)
 - 7.4.2.5 Reference objects
 - 7.4.2.6 Complex objects (C_COMPLEX_OBJECT)
 - 7.4.2.7 Primitive types (C_PRIMITIVE_OBJECT descendants)
 - 7.4.2.8 Terminology constraints (C_TERMINOLOGY_CODE)
 - 7.4.2.9 Constraints on enumeration types
 - 7.4.3 Second order constraints
 - 7.4.3.1 Tuple constraints
 - 7.4.3.2 Assertions
 - 7.4.4 AOM type substitutions
 - 7.4.5 Class definitions
 - 7.4.5.1 ARCHETYPE_CONSTRAINT class
 - 7.4.5.2 C_ATTRIBUTE class
 - 7.4.5.3 CARDINALITY class
 - 7.4.5.4 C_OBJECT class
 - 7.4.5.5 SIBLING_ORDER class
 - 7.4.5.6 C_DEFINED_OBJECT class
 - 7.4.5.7 C_COMPLEX_OBJECT class
 - 7.4.5.8 C_ARCHETYPE_ROOT class
 - 7.4.5.9 ARCHETYPE_SLOT class
 - 7.4.5.10 C_COMPLEX_OBJECT_PROXY class
 - 7.4.5.11 C_PRIMITIVE_OBJECT class
 - 7.4.5.12 C_BOOLEAN class
 - 7.4.5.13 C_STRING class
 - 7.4.5.14 C_ORDERED class
 - 7.4.5.15 C_INTEGER class
 - 7.4.5.16 C_REAL class
 - 7.4.5.17 C_TEMPORAL class
 - 7.4.5.18 C_DATE class
 - 7.4.5.19 C_TIME class
 - 7.4.5.20 C_DATE_TIME class
 - 7.4.5.21 C_DURATION class
 - 7.4.5.22 C_TERMINOLOGY_CODE class
 - 7.4.5.23 C_SECOND_ORDER class
 - 7.4.5.24 C_PRIMITIVE_TUPLE class
 - 7.4.5.25 C_ATTRIBUTE_TUPLE class
- 7.5 The rules package
 - 7.5.1 Overview
 - 7.5.2 Semantics
 - 7.5.3 Class descriptions
 - 7.5.3.1 RULE_STATEMENT class
 - 7.5.3.2 ASSERTION class
 - 7.5.3.3 VARIABLE_DECLARATION class
 - 7.5.3.4 EXPR_VARIABLE class
 - 7.5.3.5 BUILTIN_VARIABLE class
 - 7.5.3.6 QUERY_VARIABLE class
 - 7.5.3.7 EXPR_ITEM class
 - 7.5.3.8 EXPR_LEAF class
 - 7.5.3.9 EXPR_CONSTANT class
 - 7.5.3.10 EXPR_CONSTRAINT class

- 7.5.3.11 EXPR_ARCHETYPE_ID_CONSTRAINT class
- 7.5.3.12 EXPR_MODEL_REF class
- 7.5.3.13 EXPR_VARIABLE_REF class
- 7.5.3.14 EXPR_OPERATOR class
- 7.5.3.15 EXPR_UNARY_OPERATOR class
- 7.5.3.16 EXPR_BINARY_OPERATOR class
- 7.5.3.17 OPERATOR_KIND enumeration
- 7.6 Terminology package
 - 7.6.1 Overview
 - 7.6.2 Semantics
 - 7.6.2.1 Specialisation depth
 - 7.6.3 Class descriptions
 - 7.6.3.1 ARCHETYPE_TERMINOLOGY class
 - 7.6.3.2 TERMINOLOGY_RELATION class
 - 7.6.3.3 VALUE_SET class
 - 7.6.3.4 ARCHETYPE_TERM class
- 7.7 Templates

Annex A (informative) Archetype Definition Language

A.1 General

Annex B (informative) Example Representation

B.1 LINK Example

Page count: 72