

ISO 20395:2019 (E)

Biotechnology — Requirements for evaluating the performance of quantification methods for nucleic acid target sequences — qPCR and dPCR

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Design of measurement procedure
4.1	General
4.2	Quantification method
4.2.1	General
4.2.2	qPCR determination of nucleic acid concentrations using a calibration curve
4.2.3	dPCR determination of copy number concentration using molecular counting
4.2.4	Relative quantification by qPCR
4.2.5	dPCR determination of ratio between two targets
4.3	Normalization strategy
4.4	Controls
5	Sample QC — Total nucleic acid quantity, integrity and purity
5.1	General
5.2	Total nucleic acid quantification
5.2.1	General
5.2.2	Spectrophotometry
5.2.3	Fluorometry
5.2.4	Assessment of total DNA concentration using qPCR/dPCR
5.3	Nucleic acid integrity
5.4	Nucleic acid purity
6	Assay design and optimization for quantification of nucleic acid target sequences
6.1	Assay design
6.1.1	General
6.1.2	Amplicon selection
6.1.3	Primer and probe design
6.1.4	In silico evaluation of specificity
6.1.5	RT-qPCR/RT-dPCR design
6.2	Assay optimization using purified samples
6.2.1	General
6.2.2	Optimization of fluorescence signal
6.2.3	(RT)-qPCR amplification efficiency
6.2.4	RT efficiency
6.2.5	Specificity
6.3	Method optimization using test samples
6.3.1	Effect of PCR inhibitors in sample matrix
6.3.2	Presence of nucleic acid contaminants in test sample
6.3.3	Validated measurement range
6.4	No template controls
7	Data quality control (QC) and analysis
7.1	General
7.2	Acceptance criteria

7.2.1	qPCR
7.2.2	dPCR
7.3	Threshold setting
7.3.1	qPCR
7.3.2	dPCR
7.4	Data pre-processing
7.4.1	qPCR using calibration curve
7.4.2	Relative quantification (qPCR)
7.5	Identification of outliers
8	Nucleic acid quantification measurement method validation
8.1	General
8.2	Precision
8.3	LOQ
8.4	LOD
8.5	Linearity
8.6	Trueness
8.7	Robustness
8.8	Specific considerations for qPCR method validation
8.8.1	Repeatability of qPCR- or RT-qPCR
8.8.2	Intermediate precision and reproducibility of qPCR- or RT-qPCR
8.9	Specific considerations for dPCR method validation
9	Nucleic acid quantification measurement traceability and comparability
9.1	Metrological traceability
9.2	Use of reference materials
9.3	Instrument calibration
10	Measurement uncertainty (MU) in qPCR and dPCR measurements
10.1	General requirements for MU calculations
10.2	qPCR measurement uncertainty
10.3	Ratio-based measurements
10.4	dPCR measurement uncertainty
11	Reporting
Annex A	(informative) Spectrophotometry
A.1	General
A.2	Relationship between absorbance and total nucleic acid concentration
A.3	Absorbance ratios and nucleic acid purity
Annex B	(informative) Nucleic acid integrity
B.1	General
B.2	Techniques for evaluation of DNA integrity
B.2.1	Electrophoresis
B.2.2	Long range PCR
B.2.3	PCR assay with differential size amplicons
B.3	Techniques for evaluation of RNA integrity
B.3.1	Electrophoresis
B.3.2	RT-qPCR for 5'/3' mRNA ratio
B.3.3	RT-qPCR assay of repetitive elements
B.3.4	RT-qPCR assays with different size amplicons
Annex C	(informative) PCR efficiency
C.1	General
C.2	Experimental design
C.3	Calculations
Annex D	(informative) Measurement uncertainty
D.1	General
D.2	Sources of uncertainty for whole process (qPCR)
D.3	Sources of uncertainty for dPCR
Annex E	(informative) MIQE and dMIQE checklists

- E.1 General
- E.2 MIQE checklist
- E.3 dMIQE checklist

Page count: 50