## ISO 22283:2020 (E)

## Traditional Chinese medicine — Determination of aflatoxins in natural products by LC-FLD

## Contents

Foreword

- Introduction
- 1 Scope
- 2 Normative references
- 3 Terms and definition
- 4 Symbols and abbreviated terms
- 5 Reagents
- 6 Apparatus
  - 6.1 LC-FLD
  - 6.2 Chromatographic column
  - 6.3 Glass sample
  - 6.4 Electronic balance
  - 6.5 Homogenizer
  - 6.6 Centrifuge
  - 6.7 Volumetric flask
- 7 Sample preparation
- 8 Test method
  - 8.1 Stock solution and working solution
  - 8.2 LC-FLD conditions
  - 8.2.1 General
  - 8.2.2 LC-FLD conditions and system suitability
  - 8.2.3 Post-column derivatization
  - 8.2.3.1 Iodine derivatization
  - 8.2.3.2 Photochemical derivatization
  - 8.2.4 Quantification of aflatoxins in the test sample using calibration curves
  - 8.3 Application of test method
- 9 Sampling and preservation
  - 9.1 Sampling
  - 9.2 Sample storage
- Annex A (informative) LC-FLD method
- Annex B (informative) Chromatogram of AFG2, AFG1, AFB2 and AFB1
- Annex C (informative) Reference of national, regional and organizational limits of aflatoxins in natural products
- Annex D (informative) Method validation

Page count: 13