

ISO/TS 22456:2021 (E)

Sterilization of healthcare products — Microbiological methods— Guidance on conducting bioburden determinations and tests of sterility for biologics and tissue-based products

Contents

| | |
|----------|--|
| | Foreword |
| | Introduction |
| 1 | Scope |
| 1.1 | Inclusions |
| 1.2 | Exclusions |
| 2 | Normative references |
| 3 | Terms and definitions |
| 4 | Definition and maintenance of product families |
| 5 | Selection and testing of product for bioburden and tests of sterility |
| 5.1 | General |
| 5.2 | Nature of product |
| 5.3 | Sample Item Portion (SIP) |
| 5.4 | Sampling conditions |
| 5.4.1 | General |
| 5.4.2 | Considerations for human tissue donor batches in sterilization |
| 5.4.3 | Use of multiple batches |
| 5.4.4 | Considerations for packaging |
| 5.5 | Microbiological testing |
| 5.5.1 | Bioburden test considerations for biologics/tissues |
| 5.5.1.1 | General |
| 5.5.1.2 | Extraction fluid |
| 5.5.1.3 | Extraction methods |
| 5.5.1.4 | Membrane filter selection |
| 5.5.1.5 | Filtration considerations |
| 5.5.1.6 | Most Probable Number (MPN) |
| 5.5.1.7 | Media for incubation |
| 5.5.1.8 | Culture conditions |
| 5.5.1.9 | Enumeration and characterization |
| 5.5.1.10 | Interpretation of data |
| 5.5.2 | Test of sterility considerations for biologics/tissues |
| 5.5.2.1 | General |
| 5.5.2.2 | Performance of test of sterility |
| 5.5.2.3 | Culture conditions |
| 5.5.2.4 | Membrane filtration of eluate |
| 5.5.2.5 | Examination of growth medium |
| 5.5.3 | Verification of microbiological methods |
| 5.5.3.1 | Method suitability |
| 5.5.3.2 | Bioburden test verification (recovery efficiency test) |
| 5.5.3.3 | Method suitability for test of sterility (bacteriostasis/fungistasis test) |
| 5.5.4 | Rapid microbiology tests |