

Contents

| | |
|---------|---|
| | Foreword |
| | Introduction |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms and definitions |
| 4 | OML specification |
| 4.1 | Specification requirements and OML positioning |
| 4.2 | OML Structure |
| 4.3 | OML DTD and XML Schema |
| 5 | OML development process |
| 6 | Figures |
| Annex A | (informative) Reference works |
| A.1 | Introduction |
| A.2 | Use case analysis |
| A.2.1 | General |
| A.2.2 | Overview |
| A.2.3 | Use case of SNP analysis as an example of Omics analysis |
| A.2.4 | UML example of SNP analysis as an example of Omics analysis |
| A.2.5 | Use case of database integration |
| A.2.6 | Use case and required elements |
| A.3 | Diversity of SNP databases |
| A.3.1 | General |
| A.3.2 | Diversity of databases |
| A.3.3 | Diversity of data representation |
| A.3.4 | Diversity of sequence variation data representation |
| A.4 | Markup language comparison |
| A.4.1 | General |
| A.4.2 | Mapping of each markup language to the data categories |
| A.4.2.1 | The MicroArray Gene Expression Markup Language (MAGE-ML) |
| A.4.2.2 | The Bioinformatic Sequence Markup Language (BSML) |
| A.4.2.3 | The Systems Biology Markup Language (SBML) |
| A.4.2.4 | The RNAML |
| A.4.2.5 | The PolyMAPr |
| A.4.3 | OML originated needs and specifications |
| A.5 | Interface analysis to Health Level Seven® |
| A.5.1 | General |
| A.5.2 | Comparison with HL7® genomics model |
| A.5.2.1 | General |
| A.5.2.2 | Entry point |
| A.5.2.3 | Structure |
| A.5.2.4 | Contents |
| A.5.3 | Information Model of Genotype in HL7® |
| A.6 | Interface analysis to the ISO 13606 series |
| A.7 | Interface analysis to SNOMED-CT® |
| A.8 | Interface analysis to WHO-ICD iCOS |
| A.9 | Figures |
| A.10 | Tables |