

# ISO 16256:2021-10 (E)

## Clinical laboratory testing and in vitro diagnostic test systems - Broth micro-dilution reference method for testing the in vitro activity of antimicrobial agents against yeast fungi involved in infectious diseases

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		vi
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>4</b>	<b>Test procedures .....</b>	<b>3</b>
4.1	General .....	3
4.1.1	Trays and method .....	3
4.1.2	Conditions for use of disposable micro-dilution trays .....	3
4.2	Medium .....	3
4.2.1	General .....	3
4.2.2	Visual reading pathway .....	3
4.2.3	Spectrophotometric reading pathway .....	4
4.3	Antifungal agents .....	4
4.3.1	General .....	4
4.3.2	Preparation of stock solutions .....	4
4.3.3	Preparation of working solutions .....	5
4.4	Preparation of broth micro-dilution trays .....	6
4.4.1	Preparation for tests read visually - Visual reading pathway .....	6
4.4.2	Preparation for tests read by spectrophotometer - Spectrophotometric reading pathway .....	6
4.5	Storage of micro-dilution trays .....	6
4.6	Preparation of inoculum .....	7
4.6.1	General .....	7
4.6.2	Preparation of inoculum for visual test reading .....	7
4.6.3	Preparation of inoculum for spectrophotometric test reading .....	7
4.7	Inoculation of micro-dilution trays .....	7
4.8	Incubation of micro-dilution trays .....	8
4.8.1	General .....	8
4.8.2	Visual pathway .....	8
4.8.3	Spectrophotometric pathway .....	8
4.9	Reading MIC results .....	8
4.9.1	General .....	8
4.9.2	Visual reading method .....	8
4.9.3	Spectrophotometric reading methods .....	8
4.10	Interpretation of MICs .....	9
<b>5</b>	<b>Quality Control (QC) .....</b>	<b>9</b>
Annex A (informative)	RPMI-1640 medium .....	12
Annex B (informative)	McFarland 0,5 barium sulfate turbidity standard .....	14
Bibliography .....		15