

DIN 13277:2022-05 (E)

Refrigerators and freezers for laboratory and medical applications - Terminology, requirements, testing

| Contents | | Page |
|-----------------|--|-------------|
| Foreword | | 4 |
| 1 | Scope | 5 |
| 2 | Normative references | 6 |
| 3 | Terms and definitions..... | 6 |
| 4 | Requirements | 9 |
| 4.1 | General | 9 |
| 4.1.1 | Gross volume | 9 |
| 4.1.2 | Usable volume | 9 |
| 4.1.3 | Installation dimensions | 9 |
| 4.1.4 | Interior space and interior fittings..... | 9 |
| 4.1.5 | Latching system for appliance door/flap and lid..... | 9 |
| 4.1.6 | Appliance door and lid seal..... | 10 |
| 4.1.7 | Installation and set-up..... | 10 |
| 4.2 | Safety requirements..... | 10 |
| 4.2.1 | Stability..... | 10 |
| 4.2.2 | Switch-on indicator | 10 |
| 4.2.3 | Usable-space temperature and product temperature | 10 |
| 4.2.4 | Monitoring of the product temperature | 11 |
| 4.2.5 | Temperature rise inside in case of power failure..... | 13 |
| 4.2.6 | Noise emission | 13 |
| 4.2.7 | Automatic defrosting | 13 |
| 4.2.8 | Appliance insulation / condensation formation | 13 |
| 4.2.9 | Relative duty cycle / needed capacity | 13 |
| 4.3 | Hygienic requirements..... | 13 |
| 5 | Testing | 14 |
| 5.1 | General | 14 |
| 5.1.1 | General test conditions | 14 |
| 5.1.2 | Dimensions..... | 16 |
| 5.1.3 | Gross volume | 16 |
| 5.1.4 | Usable volume | 16 |
| 5.1.5 | Loading capacity of the storage surfaces..... | 16 |
| 5.1.6 | Latching system for appliance door/flap and lid..... | 16 |
| 5.1.7 | Appliance door seal and lid seal..... | 16 |
| 5.2 | Safety requirements..... | 17 |
| 5.2.1 | General | 17 |
| 5.2.2 | Usable-space temperature and product temperature | 17 |
| 5.2.3 | Appliance insulation / condensation formation | 24 |
| 5.2.4 | Relative duty cycle / needed capacity..... | 24 |
| 5.2.5 | Standard energy consumption..... | 25 |
| 6 | Test report..... | 25 |
| 7 | Labelling..... | 26 |

| | |
|---|----|
| Annex A (informative) Exemplary method for product temperature testing of loaded blood bank refrigerators and loaded plasma storage appliances | 27 |
| A.1 Loaded appliance | 27 |
| A.1.1 General | 27 |
| A.1.2 Test bags | 27 |
| A.1.3 Loading of plasma storage appliances | 27 |
| A.1.4 Loading of blood bank refrigerators | 29 |
| A.1.5 Reference body | 31 |
| A.2 Testing the product temperature with loading | 32 |
| A.2.1 Testing the temperature distribution during a defrosting process for forced-air appliances | 32 |
| A.2.2 Testing the temperature distribution while opening the appliance door/lid/flap | 32 |
| A.2.3 Testing the temperature curve in case of power failure | 32 |
| Annex B (informative) Schematic overview of important terms for temperature testing | 33 |
| Bibliography | 34 |

Figures

| | |
|---|----|
| Figure 1 — Example of a suitable reference body set-up | 12 |
| Figure 2 — Partitions to reduce air circulation (top view) | 15 |
| Figure 3 — Overview of measuring planes | 17 |
| Figure 4 — Arrangement and position of measurement points | 18 |
| Figure 5 — Distances from storage surfaces and wall limits | 19 |
| Figure 6 — Test evaluation | 20 |
| Figure A.1 — Arrangement of test bags for loading upright plasma storage appliances | 28 |
| Figure A.2 — Arrangement of test bags for loading horizontal plasma storage appliances with and without appliance step | 29 |
| Figure A.3 — Arrangement of test bags for loading upright blood bank refrigerators | 30 |
| Figure A.4 — Arrangement of test bags for loading horizontal blood bank refrigerators with and without appliance step | 31 |
| Figure B.1 — Schematic overview of important terms for temperature testing | 33 |

Tables

| | |
|---|----|
| Table 1 — Storage applications of refrigerating and freezing storage appliances | 5 |
| Table 2 — Usable-space temperature range (measured with measuring body defined in 3.9) and product temperature range (measured with reference body defined in 3.16) of the refrigerating appliance in steady-state operation | 11 |
| Table 3 — List of all required tests and test requirements and related subclauses in this document | 14 |
| Table 4 — Limit temperature (measured in the reference body defined in 3.16) of the refrigerating appliance in case of power failure | 23 |