

ISO 7176-14:2022-03 (E)

Wheelchairs - Part 14: Power and control systems for electrically powered wheelchairs and scooters - Requirements and test methods

Contents		Page
Foreword.....		vii
Introduction.....		viii
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Apparatus	5
5	Preparation of test wheelchair	9
5.1	Wheelchair set-up.....	9
5.2	Loading the wheelchair.....	9
5.3	Wheelchair attributes.....	9
5.4	Wheelchair documentation.....	9
5.5	Preparation records.....	10
6	Guidance for tests	10
6.1	Test order.....	10
6.2	Batteries.....	10
6.3	Test conditions.....	10
7	Single fault safety	10
7.1	Single fault conditions.....	10
7.1.1	General.....	10
7.1.2	Requirements.....	10
7.2	Controller command signal processing failure.....	11
7.2.1	General.....	11
7.2.2	Requirements.....	11
7.2.3	Test method.....	11
7.3	Controller output device failure.....	14
7.3.1	General.....	14
7.3.2	Requirements.....	14
7.3.3	Test method.....	14
7.4	Ability to stop when power is removed.....	17
7.4.1	General.....	17
7.4.2	Requirements.....	17
7.4.3	Test method.....	17
8	Design	18
8.1	On/off switch.....	18
8.1.1	Requirements.....	18
8.1.2	Test method.....	18
8.2	Current consumption while switched off.....	19
8.2.1	General.....	19
8.2.2	Requirement.....	19
8.2.3	Test method.....	19
8.3	Control signal at switch on.....	19
8.3.1	Requirement.....	19
8.3.2	Test method.....	19
8.4	Safe operation as the battery set becomes depleted.....	20
8.4.1	General.....	20
8.4.2	Requirements.....	20
8.4.3	Test method.....	20

8.5	Over-discharge protection.....	22
8.5.1	Requirement.....	22
8.5.2	Test method.....	22
8.6	Controller over-voltage protection.....	23
8.6.1	General.....	23
8.6.2	Requirements.....	23
8.6.3	Test method.....	23
8.7	Switch-off while driving.....	23
8.7.1	General.....	23
8.7.2	Requirements.....	23
8.7.3	Test method.....	24
8.8	Measuring devices.....	24
8.8.1	General.....	24
8.8.2	Battery gauge.....	24
8.9	Drive inhibit during charging.....	25
8.9.1	General.....	25
8.9.2	Requirement.....	25
8.9.3	Test method.....	25
8.10	Charging connection voltage drop.....	25
8.10.1	General.....	25
8.10.2	Requirements.....	25
8.10.3	Test method.....	26
8.11	Non-powered mobility.....	26
8.11.1	General.....	26
8.11.2	Requirements.....	26
8.11.3	Brake release.....	27
8.11.4	Test method.....	27
8.12	Brakes.....	28
8.12.1	General.....	28
8.12.2	Requirement.....	28
8.13	Battery enclosures.....	29
8.13.1	Requirements.....	29
8.13.2	Test method.....	29
8.14	Symbols.....	29
8.15	Safety of moving parts.....	29
8.15.1	General.....	29
8.15.2	Requirements.....	30
8.16	Software faults.....	30
8.16.1	General.....	30
8.16.2	Requirements.....	30
8.17	Use in combination with other devices.....	30
8.18	Wireless technology.....	31
8.18.1	General.....	31
8.18.2	Wireless technology related labelling.....	31
8.18.3	Risk assessment.....	31
8.18.4	Wireless coexistence testing and verification.....	32
8.19	Maintenance and evaluation.....	32
9	Protection against electric shock, burns, fire and explosion.....	32
9.1	Electrical Isolation of a wheelchair frame.....	32
9.1.1	General.....	32
9.1.2	Requirements.....	33
9.1.3	Test method.....	33
9.2	Protection from non-insulated electrical parts.....	33
9.2.1	General.....	33
9.2.2	Requirement.....	33
9.2.3	Test method.....	34
9.3	Circuit protection.....	34
9.3.1	General.....	34
9.3.2	Requirements.....	34
9.3.3	Test methods.....	35
9.4	Stalled condition protection.....	39
9.4.1	General.....	39

	9.4.2	Requirements.....	39
	9.4.3	Test method.....	40
9.5		Maximum thermal drive test.....	41
	9.5.1	General.....	41
	9.5.2	Test method.....	41
9.6		Surface temperatures.....	43
9.7		Isolation of battery system.....	43
	9.7.1	General.....	43
	9.7.2	Requirement.....	44
	9.7.3	Isolate switch requirements.....	44
	9.7.4	Implementation.....	44
	9.7.5	Test Methods.....	45
9.8		Resistance to ignition.....	45
	9.8.1	General.....	45
	9.8.2	Requirements.....	45
10		Ergonomics.....	45
	10.1	Operator interface.....	45
	10.2	Operating forces.....	46
	10.2.1	General.....	46
	10.2.2	Requirements.....	46
	10.2.3	Test method.....	46
	10.3	Display position.....	48
	10.4	On/off indicator.....	48
	10.5	Connectors.....	48
	10.6	Audible noise.....	48
	10.6.1	General.....	48
	10.6.2	Requirement.....	48
	10.6.3	Test method.....	48
	10.6.4	Ancillary equipment test.....	49
	10.7	Acoustic warning device.....	50
	10.7.1	General.....	50
	10.7.2	Requirements.....	50
	10.7.3	Test method.....	50
11		Durability.....	51
	11.1	Control devices.....	51
	11.1.1	General.....	51
	11.1.2	Requirement.....	51
	11.2	Switches.....	52
	11.2.1	General.....	52
	11.2.2	Durability requirements.....	52
	11.2.3	Safety requirements.....	52
	11.3	Connectors.....	52
	11.3.1	General.....	52
	11.3.2	Requirements.....	52
12		Electrical connections.....	53
	12.1	Interchangeability.....	53
	12.2	Wire routing.....	53
	12.2.1	General.....	53
	12.2.2	Requirements.....	53
	12.2.3	Test method.....	53
	12.3	Wire colours.....	53
	12.4	Intermediate battery connection power drains.....	54
	12.4.1	General.....	54
	12.4.2	Requirements.....	54
	12.4.3	Test method.....	54
13		Environmental.....	54

13.1	Substance/liquid ingress (in)	54
13.2	Leakage of substances (out)	54
13.3	Electromagnetic compatibility.....	54
13.4	Biocompatibility and toxicity.....	54
14	Misuse and abuse	55
14.1	Reversed polarity at the battery set.....	55
	14.1.1 General	55
	14.1.2 Requirements	55
	14.1.3 Test method	55
14.2	Integrity of enclosures.....	55
	14.2.1 General	55
	14.2.2 Requirements	56
	14.2.3 Test method	56
14.3	Protection against unauthorized access.....	56
15	Information provided with the wheelchair related to control systems	56
15.1	General.....	56
15.2	Operator diagrams.....	57
15.3	Operation of wheelchair.....	57
15.4	Safety information provided to operators.....	58
15.5	Removable parts	58
16	Test report	58
17	Disclosure	59
	Annex A (informative) Guidance on wheelchair wire sizing and protection	60
	Annex B (informative) Guidance to estimate reverberation time for an acoustic area.....	62
	Annex C (informative) Guidance for switch circuit design	63
	Bibliography.....	65