ISO 13408-1:2023-08 (E)

Aseptic processing of health care products - Part 1: General requirements

Contents

Page

Foreword vi

Introduction viii

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 1

4 General 8

5 Principles of aseptic processing 9
5.1 General 9
5.2 Use of an aseptic process 9
5.3 Core elements 10
5.4 Aseptic processing zones 11
5.4.1 General 11
5.4.2 Critical processing zone 11
5.4.3 Direct support zones 11
5.4.4 Indirect support zones 12

6 Process design, development and risk management 12
6.1 General 12
6.2 Process design 13
6.3 Risk assessment 14
6.4 Identification of critical control points and process parameters 14
6.5 Handling and processing 15
6.6 Environment and air handling 15
6.7 Materials 16
6.8 Personnel 16
6.8.1 General 16
6.8.2 Training 16
6.8.3 Health 17
6.8.4 Interventions 17
6.8.5 Service personnel 17
6.8.6 Cleanroom clothing systems 17
6.9 Aseptic processing equipment 18
6.9.1 General 18
6.9.2 Automated processes and robotics 19
6.9.3 Single use systems and connecting devices 19
6.9.4 Auxiliary equipment and utilities 19
6.10 Components 20
6.11 Product related safety requirements 20
6.12 Aseptic final packaging process 20
6.13 Flow management 20
6.13.1 Containment 20
6.13.2 Cross contamination 21
6.13.3 Item introduction 21
6.13.4 Egress 21
6.13.5 Waste management 21
6.14 Manufacturing process duration 22

7 Contamination control strategy (CCS) 22
7.1 General 22
7.2 Cleaning and disinfection programs 22
7.2.1 General 22
7.2.2 Cleaning 23
7.2.3 Disinfection 23
7.2.4 Equipment used for cleaning and disinfection in APA 24
7.2.5 Cleaning process validation 24
7.2.6 Disinfection process validation 25
7.2.7 Cleaning and disinfection of equipment 25
7.2.8 Cleaning and disinfection procedures 25
7.3 Sterilization 26
7.3.1 General 26
7.3.2 Sterilization processes 26
7.3.3 Sterilization equipment 26
7.3.4 Sterilization procedures 26
7.3.5 Post aseptic lethal treatments 27
7.3.6 Endotoxin control 27
7.3.7 Depyrogenation process 27
7.4 Maintenance of sterility 28
7.5 Maintenance and calibration programs 30
7.5.1 Service personnel 30
7.5.2 Planned maintenance activities 30
7.5.3 Unplanned maintenance 31
7.5.4 Calibration of equipment 31
7.6 Environmental monitoring 31
7.6.1 General 31
7.6.2 Sampling for non-viable particulate monitoring 32
7.6.3 Sampling for microbiological environmental monitoring 32
7.7 Containment of highly potent or toxic substances 33

8 Demonstration of the effectiveness 33
8.1 Equipment qualification and validation 33
8.1.1 General 33
8.1.2 User requirements specification 33
8.1.3 Design qualification 34
8.1.4 Installation qualification (IQ) 34
8.1.5 Operational qualification (OQ) 34
8.1.6 Performance qualification (PQ) 34
8.1.7 Requalification 34
8.2 Aseptic process validation 35
8.2.1 General 35
8.2.2 Establishment and management of interventions 35
8.2.3 Process simulation 35
8.2.4 Initial aseptic qualification 38
8.2.5 Periodic performance requalification 38
8.2.6 Repeat of initial aseptic qualification 39
8.2.7 Documentation of process simulations 39
8.2.8 Disposition of filled product 40
8.2.9 Aseptic process lifecycle considerations 40
8.3 Maintenance of process 41
8.3.1 General 41
8.3.2 Review of the manufacturing process 41
8.3.3 Changes or developments to the manufacturing process 41

9 Product release 42
9.1 General 42
9.2 Testing for sterility 42
9.3 Testing for bacterial endotoxins 42
9.4 Testing for mycoplasma 43

9.5 Rapid and alternative microbiological methods 43
Annex A (informative) Aseptic processing -- Typical elements 44
Annex B (informative) Risk management 45
Annex C (informative) Typical processing zones 52
Annex D (informative)Comparisonofclassificationofcleanroomsandfilters 57
Annex E (informative)Exampleofanasepticprocessflowchart 60
Annex F (informative) Closed systems and robotics 61
Annex G (informative)Sterilecleanroomclothingsystemqualification 64
Annex H (informative) Rapid and alternative microbiological methods 68
Bibliography 70