

ISO 13408-1:2023-08 (E)

Aseptic processing of health care products - Part 1: General requirements

Contents		Page
Foreword		vi
Introduction		viii
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	General	8
5	Principles of aseptic processing	9
5.1	General	9
5.2	Use of an aseptic process	9
5.3	Core elements	10
5.4	Aseptic processing zones	11
5.4.1	General	11
5.4.2	Critical processing zone	11
5.4.3	Direct support zones	11
5.4.4	Indirect support zones	12
6	Process design, development and risk management	12
6.1	General	12
6.2	Process design	13
6.3	Risk assessment	14
6.4	Identification of critical control points and process parameters	14
6.5	Handling and processing	15
6.6	Environment and air handling	15
6.7	Materials	16
6.8	Personnel	16
6.8.1	General	16
6.8.2	Training	16
6.8.3	Health	17
6.8.4	Interventions	17
6.8.5	Service personnel	17
6.8.6	Cleanroom clothing systems	17
6.9	Aseptic processing equipment	18
6.9.1	General	18
6.9.2	Automated processes and robotics	19
6.9.3	Single use systems and connecting devices	19
6.9.4	Auxiliary equipment and utilities	19
6.10	Components	20
6.11	Product related safety requirements	20
6.12	Aseptic final packaging process	20
6.13	Flow management	20
6.13.1	Containment	20
6.13.2	Cross contamination	21
6.13.3	Item introduction	21
6.13.4	Egress	21
6.13.5	Waste management	21
6.14	Manufacturing process duration	22

7	Contamination control strategy (CCS)	22
7.1	General	22
7.2	Cleaning and disinfection programs	22
7.2.1	General	22
7.2.2	Cleaning	23
7.2.3	Disinfection	23
7.2.4	Equipment used for cleaning and disinfection in APA	24
7.2.5	Cleaning process validation	24
7.2.6	Disinfection process validation	25
7.2.7	Cleaning and disinfection of equipment	25
7.2.8	Cleaning and disinfection procedures	25
7.3	Sterilization	26
7.3.1	General	26
7.3.2	Sterilization processes	26
7.3.3	Sterilization equipment	26
7.3.4	Sterilization procedures	26
7.3.5	Post aseptic lethal treatments	27
7.3.6	Endotoxin control	27
7.3.7	Depyrogenation process	27
7.4	Maintenance of sterility	28
7.5	Maintenance and calibration programs	30
7.5.1	Service personnel	30
7.5.2	Planned maintenance activities	30
7.5.3	Unplanned maintenance	31
7.5.4	Calibration of equipment	31
7.6	Environmental monitoring	31
7.6.1	General	31
7.6.2	Sampling for non-viable particulate monitoring	32
7.6.3	Sampling for microbiological environmental monitoring	32
7.7	Containment of highly potent or toxic substances	33
8	Demonstration of the effectiveness	33
8.1	Equipment qualification and validation	33
8.1.1	General	33
8.1.2	User requirements specification	33
8.1.3	Design qualification	34
8.1.4	Installation qualification (IQ)	34
8.1.5	Operational qualification (OQ)	34
8.1.6	Performance qualification (PQ)	34
8.1.7	Requalification	34
8.2	Aseptic process validation	35
8.2.1	General	35
8.2.2	Establishment and management of interventions	35
8.2.3	Process simulation	35
8.2.4	Initial aseptic qualification	38
8.2.5	Periodic performance requalification	38
8.2.6	Repeat of initial aseptic qualification	39
8.2.7	Documentation of process simulations	39
8.2.8	Disposition of filled product	40
8.2.9	Aseptic process lifecycle considerations	40
8.3	Maintenance of process	41
8.3.1	General	41
8.3.2	Review of the manufacturing process	41
8.3.3	Changes or developments to the manufacturing process	41
9	Product release	42
9.1	General	42
9.2	Testing for sterility	42
9.3	Testing for bacterial endotoxins	42
9.4	Testing for mycoplasma	43

9.5	Rapid and alternative microbiological methods	43
	Annex A (informative) Aseptic processing -- Typical elements	44
	Annex B (informative) Risk management	45
	Annex C (informative) Typical processing zones	52
	Annex D (informative) Comparison of classification of cleanrooms and filters	57
	Annex E (informative) Example of an aseptic process flowchart	60
	Annex F (informative) Closed systems and robotics	61
	Annex G (informative) Sterile cleanroom clothing system qualification	64
	Annex H (informative) Rapid and alternative microbiological methods	68
	Bibliography	70