

# DIN EN 17430:2024-05 (E)

## Chemical disinfectants and antiseptics - Hygienic handrub virucidal - Test method and requirements (phase 2/step 2)

---

<b>Contents</b>		<b>Page</b>
European foreword .....		3
<b>1</b>	<b>Scope .....</b>	<b>4</b>
<b>2</b>	<b>Normative references .....</b>	<b>4</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>4</b>
<b>4</b>	<b>Requirements .....</b>	<b>4</b>
<b>5</b>	<b>Test methods .....</b>	<b>5</b>
<b>5.1</b>	<b>Principle .....</b>	<b>5</b>
<b>5.2</b>	<b>Materials and reagents .....</b>	<b>5</b>
<b>5.2.1</b>	<b>Test organism .....</b>	<b>5</b>
<b>5.2.2</b>	<b>Culture media and reagents .....</b>	<b>6</b>
<b>5.3</b>	<b>Apparatus and glassware .....</b>	<b>8</b>
<b>5.3.1</b>	<b>General .....</b>	<b>8</b>
<b>5.3.2</b>	<b>Usual microbiological laboratory equipment and, in particular, the following: .....</b>	<b>8</b>
<b>5.4</b>	<b>Preparation of test organism suspensions and product test solutions .....</b>	<b>9</b>
<b>5.4.1</b>	<b>Test virus suspension (test organisms suspensions, contamination fluid) .....</b>	<b>9</b>
<b>5.4.2</b>	<b>Cell lines .....</b>	<b>10</b>
<b>5.5</b>	<b>Cell culture preparation for virucidal testing .....</b>	<b>10</b>
<b>5.6</b>	<b>Infectivity assay .....</b>	<b>10</b>
<b>5.6.1</b>	<b>Quantal tests (end point titration) .....</b>	<b>10</b>
<b>5.6.2</b>	<b>Plaque assay .....</b>	<b>10</b>
<b>5.6.3</b>	<b>Product test solutions .....</b>	<b>11</b>
<b>5.7</b>	<b>Procedure for assessing the virucidal activity of the product on volunteers' hands .....</b>	<b>11</b>
<b>5.7.1</b>	<b>General .....</b>	<b>11</b>
<b>5.7.2</b>	<b>Test procedure with volunteers .....</b>	<b>12</b>
<b>6</b>	<b>Experimental data and calculation .....</b>	<b>14</b>
<b>6.1</b>	<b>Protocol of the results .....</b>	<b>14</b>
<b>6.2</b>	<b>Calculation of virus titre .....</b>	<b>14</b>
<b>6.3</b>	<b>Calculation of PFU .....</b>	<b>14</b>
<b>6.4</b>	<b>Calculation of the lg reduction R (lg prevalue minus lg postvalue) .....</b>	<b>14</b>
<b>6.5</b>	<b>Verification of the methodology -- Test validation .....</b>	<b>14</b>
<b>6.6</b>	<b>Statistical evaluation (significance testing), expression of results and precision .....</b>	<b>15</b>
<b>6.7</b>	<b>Conclusion .....</b>	<b>15</b>
<b>6.8</b>	<b>Test report .....</b>	<b>15</b>
<b>Annex A (normative) Standard handrub procedure .....</b>		<b>17</b>
<b>Annex B (informative) Calculation of the viral infectivity titre .....</b>		<b>18</b>
<b>B.1</b>	<b>Example of TCID<sub>50</sub> determination by the Spearman-Kärber method .....</b>	<b>18</b>
<b>B.2</b>	<b>Calculation of plaque-forming units (PFU) .....</b>	<b>18</b>
<b>Annex C (informative) Quality control of soft soap .....</b>		<b>20</b>
<b>Annex D (informative) Examples of reporting of results and significance testing .....</b>		<b>21</b>
<b>Annex E (normative) Test for non-inferiority .....</b>		<b>27</b>
<b>Bibliography .....</b>		<b>29</b>