

# DIN EN 17854:2024-10 (E)

## Antimicrobial wound dressings - Requirements and test method

---

<b>Contents</b>		<b>Page</b>
European foreword .....		4
Introduction .....		5
<b>1</b>	<b>Scope .....</b>	<b>6</b>
<b>2</b>	<b>Normative references .....</b>	<b>6</b>
<b>3</b>	<b>Terms, definitions, symbols and abbreviated terms .....</b>	<b>6</b>
<b>3.1</b>	<b>Terms and definitions .....</b>	<b>6</b>
<b>3.2</b>	<b>Symbols and abbreviated terms .....</b>	<b>8</b>
<b>4</b>	<b>Requirements .....</b>	<b>9</b>
<b>4.1</b>	<b>Documentation and training .....</b>	<b>9</b>
<b>4.2</b>	<b>Microbicidal dressings .....</b>	<b>10</b>
<b>4.3</b>	<b>Microbistatic dressings .....</b>	<b>10</b>
<b>4.4</b>	<b>Performance table .....</b>	<b>10</b>
<b>5</b>	<b>Test method .....</b>	<b>10</b>
<b>5.1</b>	<b>Principle .....</b>	<b>10</b>
<b>5.2</b>	<b>General conditions .....</b>	<b>11</b>
<b>5.2.1</b>	<b>Volumes .....</b>	<b>11</b>
<b>5.2.2</b>	<b>Agar plates .....</b>	<b>11</b>
<b>5.3</b>	<b>Materials and reagents .....</b>	<b>11</b>
<b>5.3.1</b>	<b>Test organism strains .....</b>	<b>11</b>
<b>5.3.2</b>	<b>Reagents and culture media .....</b>	<b>12</b>
<b>5.3.3</b>	<b>Test apparatus .....</b>	<b>14</b>
<b>5.4</b>	<b>Preparation of test and negative control dressings .....</b>	<b>15</b>
<b>5.5</b>	<b>Calculation of saturation volume and working volume .....</b>	<b>15</b>
<b>5.6</b>	<b>Preparation of test organism suspensions .....</b>	<b>17</b>
<b>5.6.1</b>	<b>Bacteria .....</b>	<b>17</b>
<b>5.6.2</b>	<b>Yeast .....</b>	<b>18</b>
<b>5.6.3</b>	<b>Preparation of STOCK A .....</b>	<b>18</b>
<b>5.7</b>	<b>Neutralization validation .....</b>	<b>19</b>
<b>5.7.1</b>	<b>General .....</b>	<b>19</b>
<b>5.7.2</b>	<b>Preparation of inoculum .....</b>	<b>19</b>
<b>5.7.3</b>	<b>Neutralizer toxicity .....</b>	<b>20</b>
<b>5.7.4</b>	<b>Test organism viability .....</b>	<b>20</b>
<b>5.7.5</b>	<b>Neutralizer efficacy .....</b>	<b>20</b>
<b>5.7.6</b>	<b>Interpretation of data .....</b>	<b>21</b>
<b>5.8</b>	<b>Procedure .....</b>	<b>23</b>
<b>5.8.1</b>	<b>Exposing the test and negative control dressings to test organisms .....</b>	<b>23</b>
<b>5.8.2</b>	<b>Recovery and enumeration of test organisms .....</b>	<b>25</b>
<b>5.8.3</b>	<b>Calculation and expression of results .....</b>	<b>26</b>
<b>5.8.4</b>	<b>Calculation of the detection limit of the test .....</b>	<b>28</b>
<b>5.8.5</b>	<b>Judgement of test validity .....</b>	<b>29</b>
<b>5.9</b>	<b>Test report .....</b>	<b>29</b>
<b>Annex A (informative)</b>	<b>Referenced test organism strains in other national collections .....</b>	<b>31</b>
<b>Annex B (informative)</b>	<b>Validation of neutralization .....</b>	<b>32</b>

<b>B.1</b>	<b>Principle .....</b>	<b>32</b>
<b>B.2</b>	<b>Neutralizer selection .....</b>	<b>32</b>
<b>Annex C (informative) Neutralizers .....</b>		<b>33</b>
<b>Annex D (informative) Rationale .....</b>		<b>34</b>
<b>D.1</b>	<b>General .....</b>	<b>34</b>
<b>D.2</b>	<b>Title .....</b>	<b>34</b>
<b>D.3</b>	<b>Test organism strains .....</b>	<b>34</b>
<b>D.4</b>	<b>Preparation of test organism suspensions .....</b>	<b>35</b>
<b>D.5</b>	<b>Cutting dressings .....</b>	<b>35</b>
<b>D.6</b>	<b>Positive control .....</b>	<b>35</b>
<b>D.7</b>	<b>Performance requirements .....</b>	<b>35</b>
<b>D.8</b>	<b>Media .....</b>	<b>36</b>
<b>D.9</b>	<b>Incubation temperatures .....</b>	<b>36</b>
<b>D.10</b>	<b>Dressing classification .....</b>	<b>36</b>
<b>D.11</b>	<b>Saturation volume .....</b>	<b>36</b>
<b>D.12</b>	<b>Procedure .....</b>	<b>36</b>
<b>D.13</b>	<b>Exposure times .....</b>	<b>37</b>
<b>D.14</b>	<b>Pre-conditioning and repeat challenge testing .....</b>	<b>37</b>
<b>D.15</b>	<b>Humidity .....</b>	<b>37</b>
<b>D.16</b>	<b>Recovery of test organisms from dressings .....</b>	<b>37</b>
<b>Annex E (informative) Replicates .....</b>		<b>38</b>
<b>Annex F (informative) Test method illustrations .....</b>		<b>39</b>
<b>Annex G (informative) Example Test Report Tables .....</b>		<b>44</b>
<b>Bibliography .....</b>		<b>46</b>