ISO 15883-1:2024-10 (E)

Washer-disinfectors - Part 1: General requirements, terms and definitions and tests

Contents

Page

Foreword vi

Introduction vii

1 Scope 1

2 Normative references 1

3 Terms and definitions 2

4 Performance requirements 10
4.1 General 10
4.2 Cleaning 14
4.2.1 General 14
4.2.2 Pre-wash flushing stage 14
4.2.3 Washing stage 14
4.2.4 Rinsing stage 15
4.3 Disinfection 15
4.3.1 Thermal disinfection 15
4.3.2 Chemical disinfection 15
4.4 Final rinsing 16
4.5 Drying 17
4.6 Process chemicals 17
4.7 Self-disinfection 17

5 Mechanical and process requirements 18
5.1 Materials, design and manufacture/construction 18
5.1.1 Materials 18
5.1.2 Design and manufacture/construction 19
5.1.3 Load carrier(s) 20
5.2 Safety 20
5.3 Tanks 21
5.4 Loading and unloading doors and their controls 22
5.4.1 General 22
5.4.2 Control of manually operated doors 23
5.4.3 Control of doors of a double-ended WD 23
5.4.4 Internal doors and access ports 23
5.4.5 Continuous process machine without doors 23
5.5 Pipework and fittings 24
5.6 Spray systems 24
5.7 Dosing systems 24
5.8 Load temperature protection 25
5.9 Process temperature control limits 25
5.10 Switches, gauges and indicating devices 26
5.11 Process verification 27
5.12 Instrumentation and controls 28
5.13 Temperature indicating systems 29
5.14 Pressure indicating systems 30
5.15 Volume/flow indicating devices 30
5.16 Timing equipment 31
5.17 Operating cycle indicating equipment 31
5.18 Recording systems (if fitted) 31

5.18.1 Cycle control recorders 31
5.18.2 Process verification system 31
5.19 Control systems 33
5.20 Override of automatic control 34
5.21 Microprocessor control systems 34
5.22 Fault indication systems 35
5.23 Water supply 35

5.24 Venting and drainage systems 36
5.25 Drainage 36
5.26 Air filters installed within the WD 37
5.27 Load handling and supports for use within the WD 37
5.28 Trolleys 37
5.29 Environment 38

6 Testing for conformity 38
6.1 General 38
6.1.1 Inter-relationship of tests 38
6.1.2 Conformity of WD, as supplied, with ISO 15883-1 38
6.1.3 Conformity of WD, as installed, with ISO 15883-1 38
6.1.4 Confirmation of validation 40
6.1.5 Requalification 40
6.1.6 Routine and periodic tests 40
6.2 Instrumentation for testing 41
6.2.1 Temperature sensors 41
6.2.2 Temperature recording instruments 41
6.2.3 Calibration 41
6.3 Tests on doors, interlocks and fault indications 42
6.3.1 Operating cycle start interlock 42
6.3.2 Door locking during operating cycle 42
6.3.3 Door interlocks on double-ended WD 42
6.3.4 Cycle complete door interlocks 43
6.3.5 Fault indication on sensor failure 43
6.3.6 Fault indication on service failure 43
6.3.7 Failed cycle interlock 44
6.3.8 Blocked drain protection 44
6.4 Tests on water quality and water volume 44
6.4.1 General 44
6.4.2 Quality of final rinse water 45
6.4.3 Volume of water used per stage 45
6.4.4 Quality of water used during testing 46
6.5 Tests on pipework 46
6.5.1 Estimation of dead volume pipework 46
6.5.2 Leakage 47
6.5.3 Free draining [chamber, load carrier(s), tanks] 47
6.5.4 Pipework flow to discharge point 47
6.5.5 Venting 47
6.5.6 Load contamination from ductwork of the WD 48
6.6 Tests on instrumentation fitted to the WD 48
6.6.1 Verification of calibration 48
6.6.2 Legibility 49
6.7 Tests on load carrier(s) and trolleys 49
6.7.1 Load carrier(s) used within the chamber 49
6.7.2 Trolleys 49
6.8 Thermometric tests 50
6.8.1 General 50
6.8.2 Load and load carrier(s) temperature test during operating cycle 50
6.8.3 Chamber wall temperature test 51
6.8.4 Temperature tests on tanks 51
6.8.5 Load temperature protection 52
6.9 Chemical dosing tests 52
6.9.1 Dispensed volume 52

6.9.2 Indication of insufficient process chemical for a cycle 53
6.10 Tests of cleaning efficacy 53
6.10.1 General 53
6.10.2 Cleaning type test 53
6.10.3 Cleaning performance qualification test 54
6.10.4 Routine process monitoring 54
6.10.5 Tests for process residuals 54
6.11 Tests of air quality 55
6.11.1 General 55
6.11.2 Procedure 55
6.11.3 Results 55
6.12 Test of load dryness 55
6.12.1 General 55
6.12.2 Materials 55
6.12.3 Exterior surface drying 55
6.12.4 Lumen load drying 56
6.13 Test of automatic control 56
6.13.1 General 56
6.13.2 Procedure 56
6.13.3 Results 57

7 Documentation 57

8 Information to be supplied 57
8.1 General 57
8.2 Before delivery of the WD and for installation 58
8.3 At delivery of the WD 59

9 Marking, labelling and packaging 60
9.1 Marking and labelling 60
9.2 Packaging 60

10 Information to be requested from the purchaser by the supplier of the WD 60

Annex A (informative) Test programme 62

Annex B (informative) A0 concept -- Comparative lethality of moist heat processes 66

Annex C (normative) Microbiological recovery medium for estimation of bacterial contamination of water 70

Bibliography 71