

DIN EN ISO 18704:2026-11 (E)

Molecular in vitro diagnostic examinations - Requirements and recommendations for pre-examination processes for urine and other body fluids - Isolated cell-free DNA (ISO 18704:2026)

Contents

Page

Foreword.....	iv
Introduction.....	v
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 General requirements.....	6
5 Outside the laboratory.....	7
5.1 Specimen collection.....	7
5.1.1 Information about the patient or specimen donor.....	7
5.1.2 Selection of the body fluid collection device by the laboratory.....	7
5.1.3 Urine and other body fluid specimen collection from the patient or donor and stabilization procedures.....	8
5.1.4 Information about the specimen storage requirements at the body fluid collection facility.....	9
5.2 Transport requirements.....	11
5.2.1 General.....	11
5.2.2 Transport using urine and other body fluid collection devices with cfDNA stabilizers.....	11
5.2.3 Transport using urine and other body fluid collection devices without cfDNA stabilizers.....	12
6 Inside the laboratory.....	12
6.1 Specimen or sample reception.....	12
6.2 Specimen or sample storage after transport and reception.....	12
6.3 Urine and other body fluid specimen or sample processing prior to cfDNA isolation.....	13
6.4 Storage requirements for urine and other body fluid samples after processing.....	13
6.5 Isolation of urine and other body fluid cfDNA.....	14
6.5.1 General.....	14
6.5.2 Using a commercial cfDNA isolation kit approved for diagnostic use.....	14
6.5.3 Using a laboratory developed cfDNA isolation procedure.....	14
6.6 Quantity and quality assessment of isolated cfDNA.....	15
6.6.1 General.....	15
6.6.2 Quantity assessment of cfDNA.....	15
6.6.3 Quality assessment of cfDNA.....	15
6.7 Storage of isolated urine and other body fluid cfDNA.....	16
6.7.1 General.....	16
6.7.2 Storage of isolated urine and other body fluid cfDNA, isolated with a commercially available kit.....	16
6.7.3 Storage of isolated urine and other body fluid cfDNA, isolated with the laboratory's own procedure.....	17
Annex A (informative) Effects of pre-examination storage of unstabilized urine on cfDNA.....	18
Annex B (informative) Effects of pre-examination storage of unstabilized and stabilized urine on the amount of a specific cfDNA target sequence.....	22
Bibliography.....	24