

# DIN EN 14349:2008-01 (E)

Chemical disinfectants and antiseptics - Quantitative surface test for the evaluation of bactericidal activity of chemical disinfectants and antiseptics used in veterinary area on non-porous surfaces without mechanical action - Test method and requirements (phase 2, step 2)

---

| <b>Contents</b>       |   | <b>Page</b> |
|-----------------------|---|-------------|
| Foreword .....        |   | 3           |
| Introduction .....    |   | 4           |
| 1                     | Scope .....   | 5           |
| 2                     | Normative references .....  | 5           |
| 3                     | Terms and definitions .....   | 5           |
| 4                     | Requirements .....  | 5           |
| 5                     | Test method .....   | 6           |
| 5.1                   | Principle .....   | 6           |
| 5.2                   | Materials and reagents .....  | 6           |
| 5.2.1                 | Test organisms .....  | 6           |
| 5.2.2                 | Culture media and reagents .....  | 6           |
| 5.2.3                 | Test surface .....  | 9           |
| 5.3                   | Apparatus and glassware .....   | 9           |
| 5.3.1                 | General .....   | 9           |
| 5.3.2                 | Usual microbiological laboratory equipment and, in particular, the following: ..... | 9           |
| 5.4                   | Preparation of test organism suspensions and product test solutions .....           | 10          |
| 5.4.1                 | Test organism suspensions .....   | 10          |
| 5.4.2                 | Microbial test suspension .....   | 11          |
| 5.4.3                 | Product test solutions .....  | 11          |
| 5.5                   | Procedure for assessing the bactericidal activity of the product .....              | 12          |
| 5.5.1                 | Experimental conditions (obligatory and additional) .....                           | 12          |
| 5.5.2                 | Test procedure .....  | 12          |
| 5.6                   | Calculation and expression of results .....   | 14          |
| 5.6.1                 | Calculation of viable counts (cfu/ml) .....   | 14          |
| 5.6.2                 | Verification of methodology .....   | 15          |
| 5.6.3                 | Expression of results .....   | 15          |
| 5.7                   | Conclusion .....  | 15          |
| 5.8                   | Test report .....   | 16          |
| Annex A (normative)   | Validation of dilution neutralization .....   | 18          |
| A.1                   | Principle .....   | 18          |
| A.2                   | Preparation of microbial suspension and test surface .....                          | 18          |
| A.3                   | Preparation of product test solution .....  | 18          |
| A.4                   | Test for validation .....   | 18          |
| A.4.1                 | General .....   | 18          |
| A.4.2                 | Procedure .....   | 18          |
| A.4.3                 | Counting of the neutralizer toxicity and dilution neutralization controls .....     | 19          |
| A.5                   | Validation .....  | 19          |
| Annex B (informative) | Suitable neutralizers .....   | 20          |

|            |   |           |
|------------|---|-----------|
| <b>B.1</b> | <b>General</b> .....  | <b>20</b> |
| <b>B.2</b> | <b>Neutralizers</b> .....   | <b>20</b> |
|            | <b>Annex C (informative) Example of a typical test report</b> .....           | <b>22</b> |
|            | <b>Annex D (informative) Referenced strains in national collections</b> ..... | <b>23</b> |
|            | <b>Bibliography</b> .....   | <b>24</b> |