

# ISO 10932:2010-06 (E)

## Milk and milk products - Determination of the minimal inhibitory concentration (MIC) of antibiotics applicable to bifidobacteria and non-enterococcal lactic acid bacteria (LAB)

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		vi
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>2</b>
<b>4</b>	<b>Principle .....</b>	<b>2</b>
<b>5</b>	<b>Diluents, culture media and reagents .....</b>	<b>2</b>
<b>5.1</b>	<b>Basic materials .....</b>	<b>2</b>
<b>5.2</b>	<b>Diluents .....</b>	<b>2</b>
<b>5.3</b>	<b>Culture media .....</b>	<b>3</b>
<b>6</b>	<b>Apparatus and glassware .....</b>	<b>10</b>
<b>7</b>	<b>Sampling .....</b>	<b>11</b>
<b>8</b>	<b>Procedure .....</b>	<b>11</b>
<b>8.1</b>	<b>Propagation .....</b>	<b>11</b>
<b>8.2</b>	<b>Quality control strains and testing .....</b>	<b>12</b>
<b>8.3</b>	<b>Growth conditions for antibiotic susceptibility test .....</b>	<b>12</b>
<b>8.4</b>	<b>Preparation of microdilution plate .....</b>	<b>13</b>
<b>9</b>	<b>Expression of results .....</b>	<b>18</b>
<b>10</b>	<b>Precision .....</b>	<b>18</b>
<b>10.1</b>	<b>Interlaboratory test .....</b>	<b>18</b>
<b>10.2</b>	<b>Repeatability .....</b>	<b>18</b>
<b>10.3</b>	<b>Reproducibility .....</b>	<b>18</b>
<b>11</b>	<b>Test report .....</b>	<b>18</b>
<b>Annex A (informative) Interlaboratory trial .....</b>		<b>19</b>
<b>Bibliography .....</b>		<b>30</b>