

ISO 12787:2011-12 (E)

Cosmetics - Analytical methods - Validation criteria for analytical results using chromatographic techniques

| Contents | | Page |
|--|--|-------------|
| Foreword | | iv |
| 1 | Scope | 1 |
| 2 | Terms and definitions | 1 |
| 2.1 | General | 1 |
| 2.2 | Terms relating to validation criteria for analytical results | 2 |
| 3 | Principle | 3 |
| 4 | General information | 4 |
| 4.1 | Matrix effect | 4 |
| 4.2 | Decision tree | 5 |
| 5 | First step -- Minimum validation criteria on standard solutions | 6 |
| 5.1 | General | 6 |
| 5.2 | Estimation of detection and quantification limit in solvent (optional) | 6 |
| 5.3 | Analytical conformity | 7 |
| 5.4 | Calibration: precision, linearity and accuracy | 7 |
| 6 | Second step -- Sample screening | 8 |
| 6.1 | General | 8 |
| 6.2 | Sample screening | 8 |
| 7 | Third step -- Assays | 8 |
| 7.1 | General | 8 |
| 7.2 | Analytes not detected or detected at concentrations less than the LoQ | 9 |
| 7.3 | Analytes detected at a concentration greater than the LoQ | 9 |
| 8 | Summary | 11 |
| Annex A (informative) Example of selection of a weighting factor | | 12 |
| Annex B (normative) Assays with a target value (simplified approach) | | 13 |
| Bibliography | | 14 |