

# ISO/TS 13136:2012-11 (E)

Microbiology of food and animal feed - Real-time polymerase chain reaction (PCR)-based method for the detection of food-borne pathogens - Horizontal method for the detection of Shiga toxin-producing Escherichia coli (STEC) and the determination of O157, O111, O26, O103 and O145 serogroups

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	2
4	Principle .....	2
4.1	General .....	2
4.2	Microbial enrichment .....	2
4.3	Nucleic acid extraction .....	3
4.4	Target genes .....	3
4.5	Detection .....	3
4.6	Isolation .....	3
5	Diluents, culture media and reagents .....	3
5.1	Culture media .....	4
5.2	Reagents for nucleic acid extraction .....	5
5.3	Reagents for PCR .....	5
6	Equipment .....	5
7	Sampling .....	6
8	Preparation of test sample .....	6
9	Procedure .....	6
9.1	Test portion and initial suspension .....	6
9.2	Enrichment .....	7
9.3	Nucleic acid extraction .....	7
9.4	PCR amplification (for real-time PCR) .....	7
9.5	Strain isolation .....	8
10	Expression of results .....	8
11	Performance data .....	8
Annex A (normative)	Flow diagram of the screening procedure .....	12
Annex B (normative)	Flow diagram of the isolation and confirmation procedure .....	13
Annex C (informative)	Identification of Shiga toxin-producing Escherichia coli (STEC) by multiplex PCR amplification of virulence genes and detection of PCR products by agarose gel electrophoresis .....	14

<b>Annex D (informative) Internal amplification control .....</b>	<b>18</b>
<b>Annex E (informative) Primers and probes for the PCR assays .....</b>	<b>19</b>
<b>Annex F (normative) Isolation of STEC strains .....</b>	<b>21</b>
<b>Bibliography .....</b>	<b>22</b>