

ISO/TS 17919:2013-11 (E)

Microbiology of the food chain - Polymerase chain reaction (PCR) for the detection of food-borne pathogens - Detection of botulinum type A, B, E and F neurotoxin-producing clostridia

Contents		Page
Foreword		iv
Introduction		v
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Symbols and abbreviated terms	1
4.1	Symbols	1
4.2	Abbreviated terms	2
5	Principle	2
5.1	General	2
5.2	Microbial enrichment	2
5.3	Nucleic acid extraction	2
5.4	Amplification by PCR	2
5.5	Detection of PCR products	2
5.6	Confirmation	2
6	Reagents	3
6.1	General	3
6.2	Culture media	3
6.3	Nucleic acid extraction	4
6.4	Reagents for PCR	5
7	Apparatus and equipment	5
7.1	General	5
7.2	Equipment for sample preparation prior to enrichment	5
7.3	Equipment for microbial enrichment	5
7.4	Equipment used for nucleic acid extraction	6
7.5	Equipment used for PCR	6
7.6	Equipment used for the detection of the PCR product	6
8	Sampling	7
9	Procedure	7
9.1	Sample preparation prior to enrichment	7
9.2	Microbial enrichment	7
9.3	Nucleic acid preparation	8
9.4	PCR amplification	9
9.5	Confirmation of a positive PCR result	9
Annex A (normative)	Flow-diagram of the procedure	10
Annex B (informative)	Multiplex PCR assays for detection of genes encoding botulinum neurotoxin types A, B, E, and F using agarose gel electrophoresis	11

Annex C (informative) Assays for detection of genes encoding botulinum neurotoxin types A, B, E, and F using real-time PCR	29
Annex D (informative) Preparation of <i>C. botulinum</i> spores	40
Bibliography	46