ISO/TS 17919:2013-11 (E)

Microbiology of the food chain - Polymerase chain reaction (PCR) for the detection of food-borne pathogens - Detection of botulinum type A, B, E and F neurotoxin-producing clostridia

Contents

Page

Foreword iv

Introduction v

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 1

4 Symbols and abbreviated terms 1
4.1 Symbols 1
4.2 Abbreviated terms 2

5 Principle 2
5.1 General 2
5.2 Microbial enrichment 2
5.3 Nucleic acid extraction 2
5.4 Amplification by PCR 2
5.5 Detection of PCR products 2
5.6 Confirmation 2

6 Reagents 3
6.1 General 3
6.2 Culture media 3
6.3 Nucleic acid extraction 4
6.4 Reagents for PCR 5

7 Apparatus and equipment 5
7.1 General 5
7.2 Equipment for sample preparation prior to enrichment 5
7.3 Equipment for microbial enrichment 5
7.4 Equipment used for nucleic acid extraction 6
7.5 Equipment used for PCR 6
7.6 Equipment used for the detection of the PCR product 6

8 Sampling 7

9 Procedure 7
9.1 Sample preparation prior to enrichment 7
9.2 Microbial enrichment 7
9.3 Nucleic acid preparation 8
9.4 PCR amplification 9
9.5 Confirmation of a positive PCR result 9

Annex A (normative) Flow-diagram of the procedure 10

Annex B (informative) Multiplex PCR assays for detection of genes encoding botulinum neurotoxin types A, B, E, and F using agarose gel electrophoresis 11

Annex C (informative) Assays for detection of genes encoding botulinum neurotoxin types A, B, E, and F using real-time PCR 29

Annex D (informative) Preparation of C. botulinum spores 40

Bibliography 46