

DIN EN 16319:2016-03 (E)

Fertilizers and liming materials - Determination of cadmium, chromium, lead and nickel by inductively coupled plasma-atomic emission spectrometry (ICP-AES) after aqua regia dissolution (includes Amendment A1:2015)

| Contents | | Page |
|--|--|-------------|
| European foreword | | 3 |
| 1 Scope | | 4 |
| 2 Normative references | | 4 |
| 3 Terms and definitions | | 4 |
| 4 Principle | | 4 |
| 5 Sampling and sample preparation | | 4 |
| 6 Reagents | | 4 |
| 7 Apparatus | | 5 |
| 8 Procedure | | 6 |
| 8.1 General | | 6 |
| 8.2 Preparation of the test solution | | 7 |
| 8.2.1 General | | 7 |
| 8.2.2 Preparation | | 7 |
| 8.3 Preparation of the test solution for the correction of matrix effects by spike recovery | | 7 |
| 8.4 Preparation of the blank test solution | | 8 |
| 8.5 Preparation of the calibration solutions for the analysis of cadmium, chromium, nickel and lead | | 8 |
| 8.6 Determination of cadmium, chromium, nickel and lead by ICP-AES | | 8 |
| 8.6.1 General | | 8 |
| 8.6.2 Determination by ICP-AES | | 8 |
| 9 Calculation and expression of the results | | 10 |
| 9.1 External calibration | | 10 |
| 9.2 Correction for spike recovery | | 10 |
| 9.3 Standard addition method | | 11 |
| 9.4 Calculation of the element content in the sample | | 11 |
| 10 Precision | | 12 |
| 10.1 Inter-laboratory tests | | 12 |
| 10.2 Repeatability | | 12 |
| 10.3 Reproducibility | | 12 |
| 11 Test report | | 13 |
| Annex A (informative) Results of the inter-laboratory test | | 15 |
| A.1 Inter-laboratory tests | | 15 |
| A.2 Statistical results for the determination of cadmium, chromium, lead and nickel for fertilizers" | | 15 |
| A.3 Statistical results for the determination of cadmium, chromium, lead and nickel for liming materials | | 17 |
| Bibliography | | 20 |