

DIN EN 16319:2016-03 (E)

Fertilizers and liming materials - Determination of cadmium, chromium, lead and nickel by inductively coupled plasma-atomic emission spectrometry (ICP-AES) after aqua regia dissolution (includes Amendment A1:2015)

Contents		Page
European foreword		3
1 Scope		4
2 Normative references		4
3 Terms and definitions		4
4 Principle		4
5 Sampling and sample preparation		4
6 Reagents		4
7 Apparatus		5
8 Procedure		6
8.1 General		6
8.2 Preparation of the test solution		7
8.2.1 General		7
8.2.2 Preparation		7
8.3 Preparation of the test solution for the correction of matrix effects by spike recovery		7
8.4 Preparation of the blank test solution		8
8.5 Preparation of the calibration solutions for the analysis of cadmium, chromium, nickel and lead		8
8.6 Determination of cadmium, chromium, nickel and lead by ICP-AES		8
8.6.1 General		8
8.6.2 Determination by ICP-AES		8
9 Calculation and expression of the results		10
9.1 External calibration		10
9.2 Correction for spike recovery		10
9.3 Standard addition method		11
9.4 Calculation of the element content in the sample		11
10 Precision		12
10.1 Inter-laboratory tests		12
10.2 Repeatability		12
10.3 Reproducibility		12
11 Test report		13
Annex A (informative) Results of the inter-laboratory test		15
A.1 Inter-laboratory tests		15
A.2 Statistical results for the determination of cadmium, chromium, lead and nickel for fertilizers"		15
A.3 Statistical results for the determination of cadmium, chromium, lead and nickel for liming materials		17
Bibliography		20