

# ISO 20647:2015-11 (E)

## Infant formula and adult nutritionals - Determination of total iodine - Inductively coupled plasma mass spectrometry (ICP-MS)

---

<b>Contents</b>		<b>Page</b>
Forewords .....		iv
<b>1</b>	<b>Scope</b> .....	<b>1</b>
<b>2</b>	<b>Principle</b> .....	<b>1</b>
<b>3</b>	<b>Reagents and materials</b> .....	<b>1</b>
<b>4</b>	<b>Apparatus</b> .....	<b>5</b>
<b>5</b>	<b>Procedure</b> .....	<b>6</b>
5.1	Reconstitution .....	6
5.2	Sample preparation .....	6
5.3	Addition of reagents .....	7
5.4	Oven digestion .....	7
5.5	Open vessel microwave digestion .....	7
5.6	Sample filtering .....	8
5.7	Sample dilution .....	8
5.8	Determination .....	8
5.9	Conditioning .....	9
5.10	Calibration .....	9
5.11	Sample analysis .....	9
5.12	Data acceptability .....	10
<b>6</b>	<b>Calculation</b> .....	<b>10</b>
<b>7</b>	<b>Precision</b> .....	<b>11</b>
7.1	Interlaboratory tests .....	11
7.2	Repeatability .....	11
7.3	Reproducibility .....	11
<b>Annex A (informative) Precision data</b> .....		<b>12</b>
<b>Bibliography</b> .....		<b>13</b>