

DIN EN 16877:2017-03 (E)

Animal feeding stuffs - Methods of sampling and analysis - Determination of T-2 and HT-2 toxins, Deoxynivalenol and Zearalenone, in feed materials and compound feed by LC-MS

Contents

	Page
European foreword	4
Introduction	5
1 Scope	6
2 Normative references	6
3 Principle	6
4 Reagents	6
5 Apparatus	8
6 Procedures	9
6.1 Sample preparation	9
6.2 Extraction	9
6.3 Test solution	10
6.4 Spiking procedure	10
7 Measurements	11
7.1 General	11
7.2 LC conditions	11
7.3 MS conditions	11
7.4 Batch composition	11
7.5 Peak identification	11
7.6 Determination of DON, HT2, T2, and ZON in calibration or and test solutions	11
7.7 Calibration	11
8 Determination of mass fraction	12
9 Precision	13
9.1 Interlaboratory study	13
9.2 Repeatability	13
9.2.1 General	13
9.2.2 HT-2 toxin	13
9.2.3 T-2 toxin	13
9.2.4 DON	13
9.2.5 ZON	13
9.3 Reproducibility	13
9.3.1 General	13
9.3.2 HT-2 toxin	14
9.3.3 T-2 toxin	14
9.3.4 DON	14
9.3.5 ZON	14
10 Test report	14
Annex A (informative) Precision data	15

Annex B (informative) Examples	20
B.1 Example 1	20
B.1.1 General	20
B.1.2 LC conditions	20
B.1.3 MS conditions	21
B.2 Example 2	21
B.2.1 General	21
B.2.2 LC conditions	22
B.2.3 MS conditions	22
B.3 Example 3	23
B.3.1 General	23
B.3.2 LC conditions	24
B.3.3 MS conditions	24
Annex C (informative) Examples of chromatograms according to the settings of the examples in Annex B	26
Bibliography	31