

DIN EN ISO 15216-1:2017-07 (E)

Microbiology of the food chain - Horizontal method for determination of hepatitis A virus and norovirus using real-time RT-PCR - Part 1: Method for quantification (ISO 15216-1:2017)

Contents	Page
European foreword	4
Foreword	5
Introduction	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
4 Principle	9
4.1 Virus extraction.....	9
4.2 RNA extraction.....	10
4.3 Real-time RT-PCR.....	10
4.4 Control materials.....	10
4.4.1 Process control virus.....	10
4.4.2 Double-stranded DNA (dsDNA) control.....	10
4.4.3 EC RNA control.....	10
4.5 Test results.....	11
5 Reagents	11
5.1 General.....	11
5.2 Reagents used as supplied.....	11
5.3 Prepared reagents.....	12
6 Equipment and consumables	13
7 Sampling	15
8 Procedure	15
8.1 General laboratory requirements.....	15
8.2 Virus extraction.....	15
8.2.1 Process control virus material.....	15
8.2.2 Negative process control.....	15
8.2.3 Food surfaces.....	15
8.2.4 Soft fruit, leaf, stem and bulb vegetables.....	15
8.2.5 Bottled water.....	16
8.2.6 Bivalve molluscan shellfish.....	17
8.3 RNA extraction.....	17
8.4 Real-time RT-PCR.....	18
8.4.1 General requirements.....	18
8.4.2 Real-time RT-PCR analysis.....	18
9 Interpretation of results	20
9.1 General.....	20
9.2 Construction of standard curves.....	20
9.3 Calculation of RT-PCR inhibition.....	21
9.4 Calculation of extraction efficiency.....	21
9.5 Sample quantification.....	22
10 Expression of results	23

11	Precision	23
	11.1 Interlaboratory study.....	23
	11.2 Repeatability.....	23
	11.3 Reproducibility limit.....	24
12	Test report	24
	Annex A (normative) Diagram of procedure	25
	Annex B (normative) Composition and preparation of reagents and buffers	26
	Annex C (informative) Real-time RT-PCR mastermixes and cycling parameters	29
	Annex D (informative) Real-time RT-PCR primers and hydrolysis probes for the detection of HAV, norovirus GI and GII and mengo virus (process control)	30
	Annex E (informative) Growth of mengo virus strain MC₀ for use as a process control	33
	Annex F (informative) RNA extraction using the NucliSENS® system	34
	Annex G (informative) Generation of dsDNA control stocks	36
	Annex H (informative) Generation of EC RNA stocks	39
	Annex I (informative) Typical optical plate layout	41
	Annex J (informative) Method validation studies and performance characteristics	43
	Bibliography	54