

# DIN EN 17050:2017-11 (E)

## Animal feeding stuffs - Methods of sampling and analysis - Determination of iodine in animal feed by ICP-MS

---

<b>Contents</b>		<b>Page</b>
European foreword .....		4
1	Scope .....	5
2	Normative references .....	5
3	Principle .....	5
4	Reagents .....	5
4.1	General .....	5
4.2	Tetra methyl ammonium hydroxide (TMAH (CH <sub>3</sub> ) <sub>4</sub> N+OH-) solution .....	5
4.3	Diluted tetra methyl ammonium hydroxide (TMAH) solution .....	6
4.4	Stock solutions .....	6
4.4.1	General .....	6
4.4.2	Iodine stock solution (KIO <sub>3</sub> ); = 1 000 mg/l, purity: mass fraction w > 99,5 % .....	6
4.4.3	Tellurium stock solution, = 1 000 mg/l .....	6
4.5	Standard solutions .....	6
4.5.1	Iodine standard solution, = 10 mg/l .....	6
4.5.2	Tellurium standard solution (internal standard) .....	6
4.6	Iodine calibration solutions .....	6
4.6.1	General .....	6
4.6.2	Calibration solution 1 - = 5 µg/l .....	7
4.6.3	Calibration solution 2 - = 20 µg/l .....	7
4.6.4	Calibration solution 3 - = 50 µg/l .....	7
4.7	Zero member compensation solution .....	7
5	Apparatus and equipment .....	7
5.1	General .....	7
5.2	Containers .....	7
5.3	Plastic syringes .....	7
5.4	Membrane filters .....	7
5.5	Ultracentrifuge .....	8
5.6	Drying oven .....	8
5.7	Inductively coupled plasma mass spectrometer (ICP-MS) .....	8
5.8	Tubes .....	8
6	Sampling .....	8
6.1	General .....	8
6.2	Sampling procedure .....	8
7	Procedure .....	8
7.1	Sample preparation .....	8
7.2	Iodine extraction .....	8
7.3	Preparation of sample and blank solutions .....	9
7.4	Determination of iodine by ICP-MS .....	9
7.4.1	General .....	9
7.4.2	Preparation of apparatus .....	9
7.4.3	Calibration .....	9
7.4.4	Determination .....	10
8	Calculation .....	10

<b>9</b>	<b>Limit of quantification (LOQ)</b> .....	<b>10</b>
<b>10</b>	<b>Precision</b> .....	<b>10</b>
<b>10.1</b>	<b>Inter-laboratory test</b> .....	<b>10</b>
<b>10.2</b>	<b>Repeatability</b> .....	<b>10</b>
<b>10.3</b>	<b>Reproducibility</b> .....	<b>11</b>
<b>11</b>	<b>Test report</b> .....	<b>11</b>
<b>Annex A (informative) Results of the inter-laboratory test</b> .....		<b>12</b>
<b>Bibliography</b> .....		<b>15</b>