

DIN ISO 15152:2019-10 (E)

Tobacco - Determination of the content of total alkaloids as nicotine - Continuous-flow analysis method (ISO 15152:2003 + Amd.1:2012 + Amd.2:2018)

Contents	Page
National foreword	3
National Annex NA (informative) Bibliography	4
Foreword	5
A₁ Foreword to Amendment 1 A₁	6
Introduction.....	7
1 Scope	8
2 Normative references	8
3 Principle	8
4 Safety precautions.....	8
5 Reagents	11
5.1 Polyoxyethylene lauryl ether (Brij 35 solution).....	11
5.2 Buffer solution A.....	11
5.3 Buffer solution B.....	11
5.4 Chloramine T solution [CH ₃ C ₆ H ₄ SO ₂ N(Na)Cl·3H ₂ O], (<i>N</i> -chloro-4-methyl benzenesulfonamide sodium salt).....	11
5.5 Cyanide neutralizing solution A.....	11
5.6 Cyanide neutralizing solution B.....	11
A₂ 5.7 A₂ Alternative neutralizing solution C	11
A₂ 5.8 A₂ Potassium cyanide solution (KCN).....	12
A₂ 5.9 A₂ Nicotine hydrogen tartrate [C ₁₀ H ₁₄ N ₂ (C ₄ H ₆ O ₆) ₂ ·2H ₂ O].....	12
A₂ 5.10 A₂ Standard nicotine solutions	12
A₂ 5.10.1 A₂ Stock solution	12
A₂ 5.10.2 A₂ Working standards	12
6 Apparatus.....	12
6.1 Continuous flow analyser.....	12
6.2 Coil for cyanogen chloride generation	12
7 Procedure.....	13
7.1 Preparation of samples for analysis.....	13
7.2 Test portion.....	13
7.3 Preparation of test extract.....	13
8 Calculation	13
9 Repeatability and reproducibility.....	14
A₁ 10 A₁ Test report.....	14
Annex A (informative) Information about alternative analytical methods.....	15
Annex B (informative) Example of a continuous-flow analyser.....	16
Annex C (informative) Preparation of a microbore five-turn mixing coil.....	17
Bibliography.....	18