

ISO 22980:2020 (E)

Tobacco — Determination of the content of total alkaloids as nicotine — Continuous-flow analysis method using KSCN/DCIC

Contents

| | |
|---------|---|
| | Foreword |
| | Introduction |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms and definitions |
| 4 | Principle |
| 5 | Reagents |
| 6 | Preparation of solutions |
| 6.1 | General |
| 6.2 | System wash solution |
| 6.3 | 5 % acetic acid solution |
| 6.4 | Sampler wash solution |
| 6.5 | Potassium thiocyanate solution |
| 6.6 | Sodium dichloroisocyanurate (DCIC) solution |
| 6.7 | Neutralisation solution A |
| 6.8 | Neutralisation solution B |
| 6.9 | Buffer solution A |
| 6.10 | Buffer solution B |
| 7 | Preparation of standards |
| 7.1 | General |
| 7.2 | Nicotine stock solution |
| 7.3 | Working standards |
| 8 | Apparatus |
| 9 | Procedure |
| 9.1 | Preparation of samples for analysis |
| 9.2 | Test portion |
| 9.3 | Preparation of test extract |
| 10 | Calculation |
| 11 | Repeatability and reproducibility |
| 12 | Test report |
| Annex A | (informative) Suitable flow diagrams |