

DIN ISO 22634-2:2021-02 (E)

Cigarettes - Determination of benzo[a]pyrene in cigarette mainstream smoke using GC/MS - Part 2: Method using cyclohexane as extraction solvent (ISO 22634-2:2019)

Contents		Page
National foreword	3
National Annex NA (informative) Bibliography	4
Foreword	5
Introduction	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
4 Principle	7
5 Apparatus	8
6 Reagents	8
7 Standards	9
7.1 General	9
7.2 Primary B[a]P-d12 stock solution: 100 µg/ml	9
7.3 Secondary B[a]P-d12 spiking solution: 40 ng/ml	9
7.4 Primary B[a]P stock solution: 100 µg/ml	9
7.5 Secondary B[a]P stock solution: 1 000 ng/ml	9
7.6 Working standard solutions	9
7.7 Storage of standard solutions	9
8 Preparation of sample	10
8.1 Sampling	10
8.2 Smoking	10
8.3 Glass-fibre filter pad extraction	10
8.4 Sample clean-up	10
8.5 Blank solution	11
9 Determination	11
9.1 GC/MS operating conditions	11
9.2 Calibration	12
9.3 Determination of B[a]P	12
9.4 Calculation	12
10 Repeatability and reproducibility	12
11 Test report	13
11.1 General	13
11.2 Characteristic data about the cigarette	13
11.3 Data about sampling	14
11.4 Description of the test	14
11.5 Test results	14
Annex A (informative) Example of a chromatogram of a cigarette smoke extract	15
Bibliography	16