

| <b>Contents</b>  | <b>Page</b> |
|--|-------------|
| Foreword.....  | iv          |
| Introduction.....  | v           |
| <b>1 Scope</b> .....   | <b>1</b>    |
| <b>2 Normative references</b> .....  | <b>1</b>    |
| <b>3 Terms, definitions, symbols and abbreviated terms</b> .....   | <b>1</b>    |
| 3.1 Terms and definitions.....   | 1           |
| 3.2 Symbols and abbreviated terms.....   | 2           |
| <b>4 Principle</b> .....   | <b>3</b>    |
| <b>5 Apparatus</b> .....   | <b>3</b>    |
| 5.1 Spectrophotometer specifications.....  | 3           |
| 5.2 Calibration of the spectrophotometer.....  | 4           |
| 5.3 Calibration of the UV exposure source.....   | 4           |
| 5.4 Monitoring of the UV exposure source.....  | 5           |
| 5.5 Calibration of the UVA radiometer used to monitor the test sample irradiation.....   | 5           |
| 5.6 Substrate/plate.....   | 5           |
| <b>6 Test method</b> .....   | <b>6</b>    |
| 6.1 Outline of the test procedure.....   | 6           |
| 6.2 Equipment calibration and validation of test plates.....   | 6           |
| 6.3 Absorption measurements through the plate.....   | 6           |
| 6.4 Sample application.....  | 7           |
| 6.5 Absorbance measurements of the product-treated plate.....  | 8           |
| 6.6 Number of determinations.....  | 8           |
| 6.7 Determination of initial calculated SPF ( $SPF_{in\ vitro,0}$ ), “C” value, initial UVA-PF ( $UVA-PF_0$ ), and UV exposure dose..... | 8           |
| 6.7.1 Determination of initial in vitro SPF ( $SPF_{in\ vitro,0}$ ).....   | 8           |
| 6.7.2 Determination of “C” value.....  | 8           |
| 6.7.3 Determination of initial UVA protection factor before UV exposure ( $UVA-PF_0$ ).....  | 9           |
| 6.7.4 Determination of the UV exposure dose.....   | 10          |
| 6.8 UV exposure of sample plates.....  | 10          |
| 6.9 Calculation of UVA-PF of plates after UV exposure of the sample.....   | 10          |
| 6.10 Calculation of critical wavelength of plates after UV exposure of the sample.....   | 11          |
| <b>7 Procedure using the spreadsheet in this document</b> .....  | <b>11</b>   |
| <b>8 Product reference sunscreen</b> .....   | <b>12</b>   |
| 8.1 Formula S2.....  | 12          |
| 8.2 Standard P8.....   | 12          |
| <b>9 Test report</b> .....   | <b>12</b>   |
| <b>Annex A (normative) Calibration of spectrophotometer and plate transmission test</b> .....  | <b>14</b>   |
| <b>Annex B (normative) Radiometer calibration to spectroradiometric irradiance procedure</b> .....                                       | <b>18</b>   |
| <b>Annex C (normative) Computation values: PPD and erythema action spectra and UVA and UV-SSR spectral irradiances</b> .....             | <b>20</b>   |
| <b>Annex D (normative) PMMA substrate plate surface specifications</b> .....   | <b>23</b>   |
| <b>Annex E (normative) Product reference sunscreen formulations</b> .....  | <b>26</b>   |
| <b>Annex F (informative) Statistical calculations</b> .....  | <b>32</b>   |
| <b>Annex G (informative) Definition and examples of valid results/Factor “C”</b> .....   | <b>35</b>   |
| <b>Bibliography</b> .....  | <b>36</b>   |