

# DIN EN 17422:2022-09 (E)

## Chemical disinfectants and antiseptics - Quantitative surface test for the evaluation of teat disinfectants used in the veterinary area - Test method and requirements (phase 2 step 2)

---

| <b>Contents</b>  |   | <b>Page</b> |
|--|---|-------------|
| European foreword .....  |   | 3           |
| Introduction .....   |   | 4           |
| <b>1</b>   | <b>Scope .....</b>  | <b>5</b>    |
| <b>2</b>   | <b>Normative references .....</b>   | <b>5</b>    |
| <b>3</b>   | <b>Terms and definitions .....</b>  | <b>5</b>    |
| <b>4</b>   | <b>Requirements .....</b>   | <b>5</b>    |
| <b>5</b>   | <b>Test method .....</b>  | <b>6</b>    |
| <b>5.1</b>   | <b>Principle .....</b>  | <b>6</b>    |
| <b>5.2</b>   | <b>Materials and reagents .....</b>   | <b>6</b>    |
| <b>5.3</b>   | <b>Apparatus and glassware .....</b>  | <b>9</b>    |
| <b>5.4</b>   | <b>Preparation of test organism suspension and product test solutions .....</b> | <b>10</b>   |
| <b>5.5</b>   | <b>Procedure for assessing the bactericidal activity of the product .....</b>   | <b>12</b>   |
| <b>5.6</b>   | <b>Experimental data and calculation .....</b>                                  | <b>15</b>   |
| <b>5.7</b>   | <b>Verification of methodology .....</b>  | <b>18</b>   |
| <b>5.8</b>   | <b>Expression of results and precision .....</b>                                | <b>18</b>   |
| <b>5.9</b>   | <b>Interpretation of results - conclusion .....</b>                             | <b>19</b>   |
| <b>5.10</b>  | <b>Test report .....</b>  | <b>20</b>   |
| <b>Annex A (informative) Referenced strains in national collections .....</b>  |   | <b>22</b>   |
| <b>Annex B (informative) Examples of neutralizers of the residual antimicrobial activity of chemical disinfectants and antiseptics and rinsing liquids .....</b> |   | <b>23</b>   |
| <b>Annex C (informative) Example of a typical test report .....</b>  |   | <b>24</b>   |
| <b>Bibliography .....</b>  |   | <b>27</b>   |