

ISO 4214:2022-12 (E)

Milk and milk products - Determination of amino acids in infant and adult/paediatric nutritional formulas and dairy products

Contents		Page
Forewords.....		iv
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Principle	1
5	Reagents	2
6	Reagents and standard preparation	3
6.1	General.....	3
6.2	Norvaline (Nva) internal standards.....	4
6.3	Cystine calibration standards.....	4
6.4	Amino acid (AA) calibration standards (with exception of cystine).....	5
6.5	Chromatography solvents (mobile phases).....	5
7	Apparatus	6
8	Sample analysis	6
8.1	Sample preparation.....	6
8.2	Cystine calibration standards preparation.....	7
8.3	Hydrolysis (of samples and cystine standards).....	7
8.4	Neutralization and dilution (of samples and cystine standards).....	7
8.5	Amino acids calibration standards preparation (not needed to be acid hydrolysed).....	8
8.6	Derivatization (of samples, cystine standards and amino acids standards).....	8
8.7	UHPLC separation.....	8
8.8	Peak identification and integration.....	9
9	Calculation and expression of results	10
9.1	Calibration curve.....	10
9.2	Amino acid calculation.....	10
10	Precision	11
10.1	General.....	11
10.2	Repeatability.....	11
10.3	Reproducibility.....	11
11	Test report	15
Annex A (informative) Precision data		16
Annex B (informative) Chromatogram examples		34
Bibliography		35