DIN EN ISO 10272-1:2023-07 (E)

Microbiology of the food chain - Horizontal method for detection and enumeration of Campylobacter spp. - Part 1: Detection method (ISO 10272-1:2017 + Amd 1:2023) (includes Amendment A1:2023)

Contents

Page

European foreword 5

!European foreword to Amendment A1" 6

Foreword 7

!Foreword to Amendment A1" 8

Introduction 9

1 Scope 10

2 Normative references 10

3 Terms and definitions 10

4 Principle 11
4.1 General 11
4.2 Enrichment in selective liquid medium 11
4.2.1 Detection procedure A 11
4.2.2 Detection procedure B 11
4.2.3 Detection procedure C 11
4.3 Isolation on selective solid medium 12
4.3.1 Detection procedure A 12
4.3.2 Detection procedure B 12
4.3.3 Detection procedure C 12
4.3.4 Detection procedure A, B and C 12
4.4 Confirmation 12

5 Culture media and reagents 12

6 Equipment and consumables 12

7 Sampling 13

8 Preparation of test sample 13

9 Procedure 13
9.1 General 13
9.2 Test portion and initial suspension 14
9.2.1 General 14
9.2.2 Detection procedure A 14
9.2.3 Detection procedure B 14
9.2.4 Detection procedure C 14
9.3 Enrichment 15
9.3.1 Detection procedure A 15
9.3.2 Detection procedure B 15
9.4 Isolation 15
9.4.1 Detection procedure A 15

9.4.2 Detection procedure B 15
9.4.3 Detection procedures A, B and C 15
9.5 Confirmation of Campylobacter 15
9.5.1 General 15
9.5.2 Selection of colonies for confirmation 16
9.5.3 Examination of morphology and motility 16
9.5.4 Study of aerobic growth at 25 °C 16
9.5.5 Detection of oxidase activity 16
9.5.6 Interpretation 16
9.6 Identification of Campylobacter species (optional) 17
9.6.1 General 17
9.6.2 Detection of catalase activity 17
9.6.3 Detection of hippurate hydrolysis 17
9.6.4 Detection of indoxyl acetate hydrolysis 18
9.6.5 Interpretation 18

10 Expression of results 18

11 Performance characteristics of the method 18
11.1 Interlaboratory study 18
11.2 Sensitivity 18
11.3 Specificity 19
11.4 LOD50 19

12 Test report 19

Annex A (normative) Diagram of procedures 20

Annex B (normative) Culture media and reagents 21

B.1 General 21
B.2 Bolton broth 21
B.2.1 Basic medium 21
B.2.2 Sterile lysed horse blood 22
B.2.3 Antibiotic solution 22
B.2.4 Complete medium 22

!B.3 Preston broth 22
B.3.1 Basic medium 22
B.3.2 Sterile lysed horse blood 23
B.3.4 Growth supplement 23
B.3.5 Complete medium" 23
B.4 Modified charcoal cefoperazone deoxycholate agar (mCCD agar) 24
B.4.1 Basic medium 24
B.4.2 Antibiotic solution 24
B.4.3 Complete medium 24
B.5 Selective plating medium using different selective principles from those in mCCD agar 25
B.6 Colombia blood agar 25
B.6.1 Basic medium 25
B.6.2 Sterile sheep or horse blood 25
B.6.3 Complete medium 25
B.7 Reagent for the detection of oxidase activity 26
B.7.1 Composition 26
B.7.2 Preparation 26
B.8 Reagent for the detection of catalase activity 26
B.8.1 Composition 26
B.8.2 Preparation 26
B.9 Reagents for the detection of hydrolysis of hippurate 26
B.9.1 Sodium hippurate solution 26
B.9.2 Ninhydrin solution, mass fraction of 3,5 % 27
B.10 Indoxyl acetate discs 27
B.10.1 Composition 27

B.10.2 Preparation 27
B.11 Performance testing for the quality assurance of the culture media 27

Annex C (informative) Method validation studies and performance characteristics 30

!Annex D (informative) Multiplex real-time PCR assay for confirmation of thermotolerant Campylobacter spp 33

D.1 General 33
D.2 Principle 33
D.3 Reagents 33
D.3.1 Reagents for nucleic acid extraction 33
D.3.2 Reagents for real-time PCR 33
D.4 Apparatus 34
D.4.1 Equipment used for nucleic acid extraction 34
D.4.2 Equipment used for real-time PCR 34
D.5 Procedure 35
D.5.1 Nucleic acid extraction 35
D.5.2 PCR set-up 35
D.5.3 PCR controls 35
D.5.4 Temperature-time programme 36
D.6 Interpretation of the results 36
D.7 Performance characteristics of the method 36
D.7.1 General 36
D.7.2 Theoretical evaluation of the method 36
D.7.3 Inclusivity and exclusivity 37

Annex E (informative) PCR methods for molecular confirmation and identification of thermotolerant Campylobacter spp 38

E.1 General 38
E.2 Gel-based multiplex PCR assay for confirmation and identification of thermotolerant Campylobacter spp 38
E.2.1 General 38
E.2.2 Principle 38
E.2.3 Reagents 38
E.2.4 Apparatus 40
E.2.5 Procedure 41
E.2.6 Interpretation of the results 43
E.2.7 Performance characteristics 43
E.3 Multiplex real-time PCR assay for confirmation and identification of thermotolerant Campylobacter spp 45
E.3.1 General 45
E.3.2 Principle 45
E.3.3 Reagents 45
E.3.4 Apparatus 46
E.3.5 Procedure 47
E.3.6 Interpretation of the results 48
E.3.7 Performance characteristics 48

Annex F (informative) Method validation studies and performance characteristics 50

F.1 Interlaboratory study for the multiplex real-time PCR assay for confirmation of thermotolerant Campylobacter spp. (see Annex D) 50
F.2 Interlaboratory study for the gel-based multiplex PCR assay for confirmation and identification of thermotolerant Campylobacter spp. (see Clause E.2) 50
F.3 Interlaboratory study for the real-time PCR assay for confirmation and identification of thermotolerant Campylobacter spp. (see Clause E.3)" 51

Bibliography 53