

DIN EN ISO 10272-1:2023-07 (E)

**Microbiology of the food chain - Horizontal method for detection and enumeration of
Campylobacter spp. - Part 1: Detection method (ISO 10272-1:2017 + Amd 1:2023)
(includes Amendment A1:2023)**

Contents

| | Page |
|---|------|
| European foreword | 5 |
| !European foreword to Amendment A1" | 6 |
| Foreword | 7 |
| !Foreword to Amendment A1" | 8 |
| Introduction | 9 |
| 1 Scope | 10 |
| 2 Normative references | 10 |
| 3 Terms and definitions | 10 |
| 4 Principle | 11 |
| 4.1 General | 11 |
| 4.2 Enrichment in selective liquid medium | 11 |
| 4.2.1 Detection procedure A | 11 |
| 4.2.2 Detection procedure B | 11 |
| 4.2.3 Detection procedure C | 11 |
| 4.3 Isolation on selective solid medium | 12 |
| 4.3.1 Detection procedure A | 12 |
| 4.3.2 Detection procedure B | 12 |
| 4.3.3 Detection procedure C | 12 |
| 4.3.4 Detection procedure A, B and C | 12 |
| 4.4 Confirmation | 12 |
| 5 Culture media and reagents | 12 |
| 6 Equipment and consumables | 12 |
| 7 Sampling | 13 |
| 8 Preparation of test sample | 13 |
| 9 Procedure | 13 |
| 9.1 General | 13 |
| 9.2 Test portion and initial suspension | 14 |
| 9.2.1 General | 14 |
| 9.2.2 Detection procedure A | 14 |
| 9.2.3 Detection procedure B | 14 |
| 9.2.4 Detection procedure C | 14 |
| 9.3 Enrichment | 15 |
| 9.3.1 Detection procedure A | 15 |
| 9.3.2 Detection procedure B | 15 |
| 9.4 Isolation | 15 |
| 9.4.1 Detection procedure A | 15 |

| | | |
|---|---|-----------|
| 9.4.2 | Detection procedure B | 15 |
| 9.4.3 | Detection procedures A, B and C | 15 |
| 9.5 | Confirmation of <i>Campylobacter</i> | 15 |
| 9.5.1 | General | 15 |
| 9.5.2 | Selection of colonies for confirmation | 16 |
| 9.5.3 | Examination of morphology and motility | 16 |
| 9.5.4 | Study of aerobic growth at 25 °C | 16 |
| 9.5.5 | Detection of oxidase activity | 16 |
| 9.5.6 | Interpretation | 16 |
| 9.6 | Identification of <i>Campylobacter</i> species (optional) | 17 |
| 9.6.1 | General | 17 |
| 9.6.2 | Detection of catalase activity | 17 |
| 9.6.3 | Detection of hippurate hydrolysis | 17 |
| 9.6.4 | Detection of indoxylic acid hydrolysis | 18 |
| 9.6.5 | Interpretation | 18 |
| 10 | Expression of results | 18 |
| 11 | Performance characteristics of the method | 18 |
| 11.1 | Interlaboratory study | 18 |
| 11.2 | Sensitivity | 18 |
| 11.3 | Specificity | 19 |
| 11.4 | LOD50 | 19 |
| 12 | Test report | 19 |
| Annex A (normative) Diagram of procedures | | 20 |
| Annex B (normative) Culture media and reagents | | 21 |
| B.1 | General | 21 |
| B.2 | Bolton broth | 21 |
| B.2.1 | Basic medium | 21 |
| B.2.2 | Sterile lysed horse blood | 22 |
| B.2.3 | Antibiotic solution | 22 |
| B.2.4 | Complete medium | 22 |
| B.3 | Preston broth | 22 |
| B.3.1 | Basic medium | 22 |
| B.3.2 | Sterile lysed horse blood | 23 |
| B.3.4 | Growth supplement | 23 |
| B.3.5 | Complete medium" | 23 |
| B.4 | Modified charcoal cefoperazone deoxycholate agar (mCCD agar) | 24 |
| B.4.1 | Basic medium | 24 |
| B.4.2 | Antibiotic solution | 24 |
| B.4.3 | Complete medium | 24 |
| B.5 | Selective plating medium using different selective principles from those in mCCD agar | 25 |
| B.6 | Colombia blood agar | 25 |
| B.6.1 | Basic medium | 25 |
| B.6.2 | Sterile sheep or horse blood | 25 |
| B.6.3 | Complete medium | 25 |
| B.7 | Reagent for the detection of oxidase activity | 26 |
| B.7.1 | Composition | 26 |
| B.7.2 | Preparation | 26 |
| B.8 | Reagent for the detection of catalase activity | 26 |
| B.8.1 | Composition | 26 |
| B.8.2 | Preparation | 26 |
| B.9 | Reagents for the detection of hydrolysis of hippurate | 26 |
| B.9.1 | Sodium hippurate solution | 26 |
| B.9.2 | Ninhydrin solution, mass fraction of 3,5 % | 27 |
| B.10 | Indoxylic acid discs | 27 |
| B.10.1 | Composition | 27 |

| | | |
|--|--|----|
| B.10.2 | Preparation | 27 |
| B.11 | Performance testing for the quality assurance of the culture media | 27 |
| Annex C (informative) Method validation studies and performance characteristics | | 30 |
| !Annex D (informative) Multiplex real-time PCR assay for confirmation of thermotolerant Campylobacter spp | | 33 |
| D.1 | General | 33 |
| D.2 | Principle | 33 |
| D.3 | Reagents | 33 |
| D.3.1 | Reagents for nucleic acid extraction | 33 |
| D.3.2 | Reagents for real-time PCR | 33 |
| D.4 | Apparatus | 34 |
| D.4.1 | Equipment used for nucleic acid extraction | 34 |
| D.4.2 | Equipment used for real-time PCR | 34 |
| D.5 | Procedure | 35 |
| D.5.1 | Nucleic acid extraction | 35 |
| D.5.2 | PCR set-up | 35 |
| D.5.3 | PCR controls | 35 |
| D.5.4 | Temperature-time programme | 36 |
| D.6 | Interpretation of the results | 36 |
| D.7 | Performance characteristics of the method | 36 |
| D.7.1 | General | 36 |
| D.7.2 | Theoretical evaluation of the method | 36 |
| D.7.3 | Inclusivity and exclusivity | 37 |
| Annex E (informative) PCR methods for molecular confirmation and identification of thermotolerant Campylobacter spp | | 38 |
| E.1 | General | 38 |
| E.2 | Gel-based multiplex PCR assay for confirmation and identification of thermotolerant Campylobacter spp | 38 |
| E.2.1 | General | 38 |
| E.2.2 | Principle | 38 |
| E.2.3 | Reagents | 38 |
| E.2.4 | Apparatus | 40 |
| E.2.5 | Procedure | 41 |
| E.2.6 | Interpretation of the results | 43 |
| E.2.7 | Performance characteristics | 43 |
| E.3 | Multiplex real-time PCR assay for confirmation and identification of thermotolerant Campylobacter spp | 45 |
| E.3.1 | General | 45 |
| E.3.2 | Principle | 45 |
| E.3.3 | Reagents | 45 |
| E.3.4 | Apparatus | 46 |
| E.3.5 | Procedure | 47 |
| E.3.6 | Interpretation of the results | 48 |
| E.3.7 | Performance characteristics | 48 |
| Annex F (informative) Method validation studies and performance characteristics | | 50 |
| F.1 | Interlaboratory study for the multiplex real-time PCR assay for confirmation of thermotolerant Campylobacter spp. (see Annex D) | 50 |
| F.2 | Interlaboratory study for the gel-based multiplex PCR assay for confirmation and identification of thermotolerant Campylobacter spp. (see Clause E.2) | 50 |
| F.3 | Interlaboratory study for the real-time PCR assay for confirmation and identification of thermotolerant Campylobacter spp. (see Clause E.3)" | 51 |
| Bibliography | | 53 |