

DIN EN ISO 10272-1:2023-07 (E)

Microbiology of the food chain - Horizontal method for detection and enumeration of *Campylobacter* spp. - Part 1: Detection method (ISO 10272-1:2017 + Amd 1:2023) (includes Amendment A1:2023)

Contents		Page
European foreword		5
!European foreword to Amendment A1"		6
Foreword		7
!Foreword to Amendment A1"		8
Introduction		9
1	Scope	10
2	Normative references	10
3	Terms and definitions	10
4	Principle	11
4.1	General	11
4.2	Enrichment in selective liquid medium	11
4.2.1	Detection procedure A	11
4.2.2	Detection procedure B	11
4.2.3	Detection procedure C	11
4.3	Isolation on selective solid medium	12
4.3.1	Detection procedure A	12
4.3.2	Detection procedure B	12
4.3.3	Detection procedure C	12
4.3.4	Detection procedure A, B and C	12
4.4	Confirmation	12
5	Culture media and reagents	12
6	Equipment and consumables	12
7	Sampling	13
8	Preparation of test sample	13
9	Procedure	13
9.1	General	13
9.2	Test portion and initial suspension	14
9.2.1	General	14
9.2.2	Detection procedure A	14
9.2.3	Detection procedure B	14
9.2.4	Detection procedure C	14
9.3	Enrichment	15
9.3.1	Detection procedure A	15
9.3.2	Detection procedure B	15
9.4	Isolation	15
9.4.1	Detection procedure A	15

9.4.2	Detection procedure B	15
9.4.3	Detection procedures A, B and C	15
9.5	Confirmation of <i>Campylobacter</i>	15
9.5.1	General	15
9.5.2	Selection of colonies for confirmation	16
9.5.3	Examination of morphology and motility	16
9.5.4	Study of aerobic growth at 25 °C	16
9.5.5	Detection of oxidase activity	16
9.5.6	Interpretation	16
9.6	Identification of <i>Campylobacter</i> species (optional)	17
9.6.1	General	17
9.6.2	Detection of catalase activity	17
9.6.3	Detection of hippurate hydrolysis	17
9.6.4	Detection of indoxyl acetate hydrolysis	18
9.6.5	Interpretation	18
10	Expression of results	18
11	Performance characteristics of the method	18
11.1	Interlaboratory study	18
11.2	Sensitivity	18
11.3	Specificity	19
11.4	LOD50	19
12	Test report	19
Annex A (normative) Diagram of procedures		20
Annex B (normative) Culture media and reagents		21
B.1	General	21
B.2	Bolton broth	21
B.2.1	Basic medium	21
B.2.2	Sterile lysed horse blood	22
B.2.3	Antibiotic solution	22
B.2.4	Complete medium	22
!B.3	Preston broth	22
B.3.1	Basic medium	22
B.3.2	Sterile lysed horse blood	23
B.3.4	Growth supplement	23
B.3.5	Complete medium"	23
B.4	Modified charcoal cefoperazone deoxycholate agar (mCCD agar)	24
B.4.1	Basic medium	24
B.4.2	Antibiotic solution	24
B.4.3	Complete medium	24
B.5	Selective plating medium using different selective principles from those in mCCD agar ..	25
B.6	Colombia blood agar	25
B.6.1	Basic medium	25
B.6.2	Sterile sheep or horse blood	25
B.6.3	Complete medium	25
B.7	Reagent for the detection of oxidase activity	26
B.7.1	Composition	26
B.7.2	Preparation	26
B.8	Reagent for the detection of catalase activity	26
B.8.1	Composition	26
B.8.2	Preparation	26
B.9	Reagents for the detection of hydrolysis of hippurate	26
B.9.1	Sodium hippurate solution	26
B.9.2	Ninhydrin solution, mass fraction of 3,5 %	27
B.10	Indoxyl acetate discs	27
B.10.1	Composition	27

B.10.2	Preparation	27
B.11	Performance testing for the quality assurance of the culture media	27
Annex C (informative) Method validation studies and performance characteristics		30
!Annex D (informative) Multiplex real-time PCR assay for confirmation of thermotolerant Campylobacter spp		33
D.1	General	33
D.2	Principle	33
D.3	Reagents	33
D.3.1	Reagents for nucleic acid extraction	33
D.3.2	Reagents for real-time PCR	33
D.4	Apparatus	34
D.4.1	Equipment used for nucleic acid extraction	34
D.4.2	Equipment used for real-time PCR	34
D.5	Procedure	35
D.5.1	Nucleic acid extraction	35
D.5.2	PCR set-up	35
D.5.3	PCR controls	35
D.5.4	Temperature-time programme	36
D.6	Interpretation of the results	36
D.7	Performance characteristics of the method	36
D.7.1	General	36
D.7.2	Theoretical evaluation of the method	36
D.7.3	Inclusivity and exclusivity	37
Annex E (informative) PCR methods for molecular confirmation and identification of thermotolerant Campylobacter spp		38
E.1	General	38
E.2	Gel-based multiplex PCR assay for confirmation and identification of thermotolerant Campylobacter spp	38
E.2.1	General	38
E.2.2	Principle	38
E.2.3	Reagents	38
E.2.4	Apparatus	40
E.2.5	Procedure	41
E.2.6	Interpretation of the results	43
E.2.7	Performance characteristics	43
E.3	Multiplex real-time PCR assay for confirmation and identification of thermotolerant Campylobacter spp	45
E.3.1	General	45
E.3.2	Principle	45
E.3.3	Reagents	45
E.3.4	Apparatus	46
E.3.5	Procedure	47
E.3.6	Interpretation of the results	48
E.3.7	Performance characteristics	48
Annex F (informative) Method validation studies and performance characteristics		50
F.1	Interlaboratory study for the multiplex real-time PCR assay for confirmation of thermotolerant Campylobacter spp. (see Annex D)	50
F.2	Interlaboratory study for the gel-based multiplex PCR assay for confirmation and identification of thermotolerant Campylobacter spp. (see Clause E.2)	50
F.3	Interlaboratory study for the real-time PCR assay for confirmation and identification of thermotolerant Campylobacter spp. (see Clause E.3)"	51
Bibliography		53