DIN 10955:2024-01 (E)

Sensory analysis - Testing of food contact materials and articles (FCM)

Contents

Page

Foreword 5

1 Scope 8

2 Normative references 9

3 Terms and definitions 9

4 Units 12

5 Principle 12

6 Sensory panel 12

7 Reagents 12
7.1 Saturated sodium chloride solution 12

8 Apparatus 12
8.1 Glass or plastic vessels 12
8.1.1 Vessels for smell test 12
8.1.2 Vessels for testing with indirect contact 13
8.1.3 Vessels for receiving test substances and for sensory analysis 13
8.2 Cutting devices and cutting plates 13
8.3 Migration cells 13
8.4 Heat or pressure sealer 13
8.5 Volume measuring device or balance 13
8.6 Thermostatically controlled oven, incubator or refrigerator 13

9 Sampling and sample preparation 13
9.1 General 13
9.2 Taking the sample 13
9.3 Sample preparation 14
9.4 Taking the test segment 14

10 Off-odour test (inherent odour) 14
10.1 General 14
10.2 Test set-up 15
10.2.1 One-sided contact 15
10.2.2 Two-sided contact 15
10.3 Test conditions 15
10.4 Sensory analysis of the inherent odour 16

11 Simulation of the migration of sensorially perceptible substances from food contact materials to test substances 16
11.1 General requirements regarding test conditions 16
11.2 Test substances 16
11.3 Migration of sensorially perceptible substances from food contact materials to test substances through the air-filled space (indirect contact) 18
11.3.1 Indirect contact 18
11.3.2 Test set-up 18
11.3.3 Test conditions and procedure 19
11.3.4 Sensory analysis of the test substance 20

11.4 Migration of sensorially perceptible substances from food contact materials to test substances with direct contact ... 20
11.4.1 Direct contact ... 20
11.4.2 Test set-up ... 20
11.4.3 Test conditions ... 22
11.4.4 Test with the original food under typical contact conditions ... 23
11.4.5 Test for the migration of sensorially active constituents from a packaging material in the assessment of the minimum shelf life of a food ... 24
11.4.6 Testing for the migration of sensorially active constituents from a food contact material in the presence of a food complaint sample ... 25

12 Sensory analysis of the samples ... 25
12.1 Overview of suitable sensory analysis methods ... 25
12.2 Sensory analysis methods for conformity testing ... 26
12.2.1 Triangle test according to DIN EN ISO 4120 ... 26
12.2.2 Extended triangle test ... 26
12.2.3 Intensity rating by means of the difference from control test (DfC test) according to 12.3 Additional sensory analysis methods for quality assurance and product development ... 28
12.3.1 Framework conditions ... 28
12.3.3 Paired comparison test according to DIN EN ISO 5495 ... 28
12.3.4 Ranking test according to DIN ISO 8587 ... 28
12.4 Evaluation ... 28
12.4.1 Overview of step-by-step assessment ... 28
12.4.2 Significance of the difference ... 29
12.4.3 Intensity of difference ... 30
12.4.4 Conformity assessment and quality assessment ... 31

13 Test report ... 32

Annex A (informative) Procedure (schematic) ... 33

Annex B (informative) Guide to making a sealed tetrahedron ... 35

Annex C (informative) Test set-up for indirect contact -- Examples ... 36

Annex D (informative) Determination of immersion volume ... 38

D.1 Calculation ... 38
D.2 Examples for determining the immersion volume ... 39

Annex E (informative) Example of an evaluation form for the extended triangle test ... 40

Annex F (informative) Example of an evaluation form for a difference from control test ... 42

Annex G (informative) Application example for a sensory analysis and evaluation -- Triangle test to demonstrate a difference ... 43

G.1 Background ... 43
G.2 Objective of analysis ... 43
G.3 Selection of test conditions ... 43
G.4 Procedure ... 43
G.5 Assessment and interpretation of results ... 43
G.6 Test report and conclusions ... 44

Annex H (informative) Examples of an assessment of the intensity ratings ... 45

Bibliography ... 49

Figures Figure 1 -- Schematic overview of the Scope of this document ... 8

Figure 2 -- Schematic overview of terms relating to sampling ... 10

Figure A.1 -- Procedure (schematic) 34

Figure B.1 -- Making a tetrahedron 35

Figure C.1 -- Example of a test set-up with glass vessel A 36

Figure C.2 -- Example of a test set-up with glass vessel B 37

Figure D.1 -- Cylinder for calculating the immersion volume 38

Figure D.2 -- Example of a determination of d 39

Figure D.3 -- Examples of the determination of the functional parts 39

Tables Table 1 -- Typical test conditions for the off-odour test (inherent odour of FCM) 15

Table 2 -- Typical test foods 16

Table 3 -- Examples of test set-ups for indirect contact 18

Table 4 -- Typical test conditions for migration in indirect contact 19

Table 5 -- Possible test set-ups and underlying S/V ratio depending on the nature of the test substance and the test sample 21

Table 6 -- Overview of the application suitability of sensory analysis methods depending on the test objective 26

Table 7 -- Intensity scale 27

Table 8 -- Overview of recommended decisions for conformity testing 29

Table 9 -- Maximum number of correct answers c for triangle tests used for conformity testing with n evaluations 29

Table E.1 -- Scale for evaluating the difference in intensity in the extended triangle test 40

Table E.2 -- Example of an evaluation form for a triad in the extended triangle test 41

Table F.1 -- Scale for evaluating the intensity difference in the difference from control test 42

Table F.2 -- Example of an evaluation form for a sample in the difference from control test 42

Table H.1 -- Examples of 6 intensity ratings with a threshold value of 3 45

Table H.2 -- Examples of more than 6 intensity ratings with a threshold value of 3 47