

ISO 23691:2026-02 (E)

Microbiology of the food chain - Determination and use of cardinal values

| Contents | | Page |
|-----------------|---|-------------|
| Foreword | | v |
| Introduction | | vi |
| 1 | Scope | 1 |
| 2 | Normative references | 2 |
| 3 | Terms and definitions | 2 |
| 4 | Principle | 6 |
| 4.1 | General | 6 |
| 4.2 | Gamma functions | 7 |
| 4.2.1 | General | 7 |
| 4.2.2 | Describing effects of temperature | 7 |
| 4.2.3 | Describing effects of <i>pH</i> | 8 |
| 4.2.4 | Describing effects of <i>a_w</i> | 8 |
| 4.2.5 | Describing the effects of concentrations of inhibitors | 9 |
| 4.3 | Process of cardinal values and food correction factor determination | 10 |
| 4.4 | Determination of the maximum specific growth rate | 10 |
| 4.4.1 | General | 10 |
| 4.4.2 | Binary dilution OD-based method | 11 |
| 4.4.3 | Direct plating method | 11 |
| 4.5 | Cardinal values determination | 12 |
| 4.6 | Correction factor determination | 13 |
| 4.7 | Validation | 14 |
| 4.8 | Use of cardinal values and food correction factor in predictions | 15 |
| 5 | Reagents and materials | 15 |
| 6 | Apparatus | 15 |
| 7 | Experimental design and data collection | 16 |
| 7.1 | General | 16 |
| 7.2 | Preparation of culture and medium | 16 |
| 7.2.1 | Choice and storage of studied strain | 16 |
| 7.2.2 | Preparation and inoculation of the microbial culture | 17 |
| 7.2.3 | Preparation of the modified nutrient broth | 17 |
| 7.3 | Levels per factor to estimate cardinal values | 18 |
| 7.3.1 | General | 18 |
| 7.3.2 | Temperature | 18 |
| 7.3.3 | <i>pH</i> | 19 |
| 7.3.4 | Water activity | 20 |
| 7.3.5 | Inhibitory compounds | 21 |
| 7.4 | Experimental design to estimate the maximum specific growth rate from the binary dilution OD-based method | 22 |
| 7.5 | Experimental design to estimate the maximum specific growth rate from the direct plating method | 23 |
| 7.6 | Determination of the food correction factor based on a challenge test | 23 |
| 7.7 | Validation | 24 |
| 8 | Expression of the results: Estimation of the growth parameters | 24 |
| 8.1 | General | 24 |
| 8.2 | Assessment of maximum specific growth rate at each level of intrinsic or extrinsic factors (first step) | 24 |

| | | |
|------------------------------|--|-----------|
| 8.2.1 | General | 24 |
| 8.2.2 | Assessment of maximum specific growth rates from direct plating data | 25 |
| 8.2.3 | Assessment of maximum specific growth rates by binary dilution OD-based method | 25 |
| 8.3 | Assessment of cardinal values and optimum growth rate in broth, μ_{Broth} (second step) | 25 |
| 8.4 | Assessment of C_f (third step) | 26 |
| 8.5 | Validation (fourth step) | 27 |
| 9 | Use of cardinal values to perform microbial growth predictions | 28 |
| 9.1 | General | 28 |
| 9.2 | Prerequisites for growth predictions | 28 |
| 9.3 | Using cardinal values to simulate growth | 29 |
| 9.3.1 | Growth simulation at a static given temperature | 29 |
| 9.3.2 | Growth prediction with dynamic time-temperature scenario | 30 |
| 9.3.3 | Growth simulation at a static condition of temperature, pH and a_w | 31 |
| 10 | Test report | 33 |
| 11 | Quality assurance | 33 |
| Annex A (informative) | Indicative list of tools for primary and secondary fittings and simulations | 34 |
| Annex B (informative) | Guidance to obtain different a_w values when using different humectants in broth | 37 |
| Annex C (informative) | Growth rate determination | 38 |
| Annex D (informative) | Plate design | 42 |
| Annex E (informative) | Example of the use of cardinal values for growth simulation and its variation | 43 |
| Bibliography | | 46 |