

# ISO 14461-2:2005-04 (E)

## Milk and milk products - Quality control in microbiological laboratories - Part 2: Determination of the reliability of colony counts of parallel plates and subsequent dilution steps

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		vi
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>4</b>	<b>Principle .....</b>	<b>2</b>
<b>5</b>	<b>Procedure .....</b>	<b>2</b>
<b>5.1</b>	<b>General .....</b>	<b>2</b>
<b>5.2</b>	<b>Counting results of two parallel plates .....</b>	<b>2</b>
<b>5.3</b>	<b>Sum of counting results of subsequent dilution steps .....</b>	<b>2</b>
<b>6</b>	<b>Evaluation .....</b>	<b>3</b>
<b>6.1</b>	<b>Tables of results .....</b>	<b>3</b>
<b>6.2</b>	<b>Examples of testing parallel plates .....</b>	<b>7</b>
<b>6.3</b>	<b>Examples of testing sums of two subsequent dilution steps .....</b>	<b>7</b>
<b>7</b>	<b>Calculation formulae and examples .....</b>	<b>15</b>
<b>7.1</b>	<b>In Table 1 .....</b>	<b>15</b>
<b>7.2</b>	<b>In Table 2 .....</b>	<b>16</b>
<b>7.3</b>	<b>Examples .....</b>	<b>16</b>