

DIN 45679:2013-02 (E)

Mechanical vibration - Measurement and evaluation of coupling forces for assessment of vibration exposure of the hand-arm system

Contents	Page
Foreword	3
Introduction	4
1 Scope	5
2 Symbols and indices	5
3 Parameters at hand-grip interface	6
3.1 Contact pressure	6
3.2 Push force	7
3.3 Guiding force	8
3.4 Lifting force	8
3.5 Gripping force	9
3.6 Feed force	11
3.7 Contact forces	11
3.8 Coupling force	12
3.9 Torsion and friction	13
4 Parameters for the coupling-dependent evaluation of the vibration exposure	13
4.1 Coupling factor CCP	13
4.2 Coupling-dependent frequency-weighted acceleration ahwc	13
4.3 Coupling force-dependent vibration total value ahvc	13
4.4 Coupling force-dependent daily vibration exposure value A(8)c	14
5 Measuring procedure and evaluation of measurement results	14
5.1 General	14
5.2 Measuring the gripping force	14
5.3 Measuring the push force	15
5.4 Measuring the pressure distribution on the contact surface of the hand	16
5.5 Processing the measurement results: Time history	16
5.6 Processing the measurement results: Averaging the values	16
5.7 Evaluation of the measurement results	17
6 Calculation of the coupling force-dependent values	17
6.1 Coupling force-dependent frequent-weighted acceleration	17
6.2 Coupling force-dependent vibration total value and daily vibration exposure value	19
Annex A (normative) Requirements for measuring equipment	20
Annex B (informative) Biodynamic effects of machine contact forces	23
Annex C (informative) Calculation of the gripping force and push force from a pressure measurement	25
Annex D (informative) Measurement report	27
Annex E (informative) Calibration and methods for comparison of different force measuring instruments	29
Annex F (informative) Examples of typical coupling forces and coupling factors	31
Bibliography	32