

ISO 1999:2013-10 (E)

Acoustics - Estimation of noise-induced hearing loss

| Contents | | Page |
|---|--|-------------|
| Foreword | | iv |
| Introduction | | v |
| 1 Scope | | 1 |
| 2 Normative references | | 1 |
| 3 Terms and definitions | | 2 |
| 4 Principle | | 3 |
| 5 Description and measurement of noise exposure | | 3 |
| 6 Prediction of the effects of noise on hearing threshold | | 4 |
| 6.1 Statistical distribution of hearing threshold levels of a noise-exposed population | | 4 |
| 6.2 Databases for hearing threshold levels associated with age (HTLA) | | 4 |
| 6.3 Calculation of noise-induced permanent threshold shift, N | | 5 |
| 7 Assessment of noise-induced hearing loss and disability | | 8 |
| 7.1 Hearing loss | | 8 |
| 7.2 Hearing disability | | 8 |
| 7.3 Risk of hearing disability | | 8 |
| Annex A (informative) Calculation of database A, statistical distribution of hearing thresholds as a function of age (HTLA) for an otologically normal population (highly screened) | | 10 |
| Annex B (informative) Examples for database B | | 13 |
| Annex C (informative) Example of assessment of risk of noise-induced hearing loss and disability | | 17 |
| Annex D (informative) Tables with examples for NIPTS data | | 20 |
| Bibliography | | 22 |